

**kdl*n***

**2024 PRICE LIST**



**EN. Light, according to Kdln, is poetry and beauty, functionality and technique, simplicity and character. A universal language, a unique and versatile style, that draws on the past in an interpretation that is original and contemporary. From domestic to contract, each project is consistent with the company's identity. Key values: attention to quality, reliability and concreteness. Together with an out-of-the-box creativity that Kdln shares with established designers as well as with emerging talents.**

**IT. La luce secondo Kdln è poesia e bellezza, funzionalità e tecnica, semplicità e carattere. Un linguaggio universale, uno stile unico e versatile, che attinge al passato in una lettura originale e contemporanea. Dal domestico al contract, ogni progetto è coerente con l'identità dell'azienda. Valori chiave: attenzione alla qualità, affidabilità e concretezza. Insieme a una creatività fuori dagli schemi che Kdln condivide con designer affermati e talenti emergenti.**

**FR. La lumière, selon Kdln est poésie et beauté, fonctionnalité et technique, simplicité et caractère. Un langage universel, un style unique et polyvalent, qui puise dans le passé dans une lecture originale et contemporaine. Du résidentiel au contract, chaque projet est cohérent avec l'identité de l'entreprise. Les valeurs-clés : attention à la qualité, fiabilité et caractère concret. Avec une créativité hors des sentiers battus que Kdln partage avec des designers confirmés et des talents émergents.**

**D. Für Kdln ist Licht Poesie und Schönheit, Funktionalität und Technik, Schlichtheit und Charakter. Eine universelle Sprache, ein einzigartiger und vielseitiger Stil, der sich in einer originellen und zeitgenössischen Interpretation auf die Vergangenheit stützt. Vom Wohnbereich bis hin zum Contract-Bereich steht jedes Projekt im Einklang mit der Identität des Unternehmens. Schlüsselwerte: besonderes Augenmerk auf die Qualität, Zuverlässigkeit und Konkretheit. Gemeinsam mit einer unkonventionellen Kreativität, die Kdln mit etablierten Designern und aufstrebenden Talenten teilt.**

**ES. La luz según Kdln es poesía y belleza, funcionalidad y técnica, simplicidad y carácter. Un lenguaje universal, un estilo único y versátil, que recurre al pasado en una lectura original y contemporánea. Desde el doméstico al contract, cada proyecto es coherente con la identidad de la empresa. Valores clave: atención a la calidad, confiabilidad y concreción. Junto a una creatividad fuera de los esquemas que Kdln comparte con diseñadores establecidos y talentos emergentes.**

## FLOOR

p. 8

### BIRD FLOOR

p. 8

### EVITA

p. 8

### E.T.A.

p. 8

### KUSHI FLOOR

p. 9

### KUSHI XL FLOOR

p. 9

### KYUDO

p. 9

### MODEL T

p. 10

### OPYO FLOOR

p. 10

### POISE FLOOR

p. 10

### SHAKTI

p. 11

### TRIPOD FLOOR

p. 11

### TYLA

p. 11

## TABLE

p. 12

### ATOMIUM

p. 12

### BIRD TABLE

p. 12

### HIVE

p. 12

### KUSHI MOBILE

p. 13

### KUSHI TABLE

p. 13

### KUSHI XL TABLE

p. 14

### LANNÀ TABLE

p. 14

### POISE

p. 15

### TATU

p. 15

## CEILING & SUSPENSION

p. 16

### ATOMIUM SUSPENSION

p. 16

### BIRD CEILING

p. 16

### BOLHA

p. 17

### CLOVER

p. 17

### DALA

p. 18

### DALA LINEAR

p. 19

### DEW

p. 20

### DEW 3

p. 20

### DEW CHANDELIER

p. 21-22

### E.T.A. SAT

p. 22

### FLOED

p. 23

### FLOED 2

p. 23

### FLOW

p. 23

### FLOW CEILING

p. 24

### GIASS

p. 24

### JER

p. 25

### KATE

p. 25

### KATE SUSPENSION

p. 26

### KOOI

p. 26

### KUSHI CEILING

p. 27

### KUSHI SUSPENSION

p. 28

### LANNÀ SUSPENSION

p. 29

### LILLI

p. 29

### LOUIS

p. 29

### MINIMAL

p. 30

### MITOS

p. 30

### MOTUS

p. 31

### NAMI

p. 31

### OPYO SUSPENSION

p. 31

### POISE CEILING

p. 32

### SLING

p. 32

### SPILLO SUSPENSION

p. 33

### TRIPOD SUSPENSION

p. 33

### VICEVERSA

p. 34

### YUMA

p. 34

# WALL

p. 35

## ATOMIUM WALL

p. 35

## AZOU 3

p. 35

## AZOU 5

p. 36

## AZOU 7

p. 37

## FRAME

p. 37

## NAMI WALL

p. 38

## PASTILLA

p. 38

## PIXEL

p. 38

## TUA

p. 39

# ACCESSORIES

p. 40

# SPECIAL CANOPIES

p. 41

# PACKAGING

p. 42-45

# FAMILY COLLECTION

ATOMIUM p. 12  
ATOMIUM SUSPENSION p. 16  
ATOMIUM WALL p. 35

BIRD FLOOR p. 8  
BIRD TABLE p. 12  
BIRD CEILING p. 16

DALA p. 18  
DALA LINEAR p. 19

DEW p. 20  
DEW 3 p. 20  
DEW CHANDELIER p. 21-22

E.T.A. p. 8  
E.T.A. SAT p. 22

FLOW p. 23  
FLOW CEILING p. 24

KATE p. 25  
KATE SUSPENSION p. 26

KUSHI FLOOR p. 9  
KUSHI XL FLOOR p. 9  
KUSHI 16 MOBILE p. 13  
KUSHI 16 TABLE p. 13  
KUSHI 33 TABLE p. 13  
KUSHI XL TABLE p. 14  
KUSHI 16 CEILING p. 27  
KUSHI 33 CEILING p. 27  
KUSHI XL CEILING p. 27  
KUSHI 16 SUSPENSION p. 28  
KUSHI 33 SUSPENSION p. 28  
KUSHI XL SUSPENSION p. 28

LANNÀ TABLE p. 14  
LANNÀ SUSPENSION p. 29

NAMI p. 31  
NAMI WALL p. 38

OPYO FLOOR p. 10  
OPYO SUSPENSION p. 31

POISE FLOOR p. 10  
POISE p. 15  
POISE CEILING p. 32

TRIPOD FLOOR p. 11  
TRIPOD SUSPENSION p. 33

# TECHNICAL INFO

## GLOSSARY

bulbs . lampadine . ampoules . Leuchtmittel . bombillas  
cable length . lunghezza cavo . longueur de câble . Kabellänge . longitud del cable  
canopy . rosone . rosace . Baldachin . plafón  
certifications . certificazioni . certifications . Zertifizierungen . certificaciones  
colours . colori . couleurs . Farben . colores  
code . codice . code . Artikelnummer . código  
description . descrizione . description . Beschreibung . descripción  
dimensions . dimensioni . dimensions . Größe . dimensiones  
dimnable . dimmerabile . dimmable . dimmbar . regulable  
dimmer . dimmer . variateur . Dimmer . dimmer  
feeding . alimentazione . alimentation . Spannung . tensión de red  
finish . finitura . finitions . Oberflächen . acabados  
materials . materiali . matériaux . Materialien . materiales  
packaging . imballo . emballage . Verpackung . embalaje  
price vat excl. . prezzo iva esc. . prix ht . Preis ohne MwSt . precio iva excluida

## LIGHT DIRECTION



Direct and indirect lighting  
Luce diretta e indiretta  
Lumière directe et indirecte  
Direktes und indirektes Licht  
Luz directa y indirecta



Indirect lighting  
Luce indiretta  
Lumière indirecte  
Indirektes Licht  
Luz indirecta



Direct lighting  
Luce diretta  
Lumière directe  
Direktes Licht  
Luz directa



Indirect and spot lighting  
Luce indiretta e spot  
Lumière indirecte et spot  
Indirektes und fokussiertes Licht  
Luz indirecta y puntual



Direct and spot lighting  
Luce diretta e spot  
Lumière directe et spot  
Direktes und fokussiertes Licht  
Luz directa y puntual



Diffused lighting  
Luce diffusa  
Lumière diffuse  
Verbreitetes Licht  
Luz difusa



amber  
 ambr  
 ambre  
 Bernstein  
 ámbar



black  
 nero  
 noir  
 Schwarz  
 negro



black marble  
 marmo nero  
 marbre noir  
 schwarz Marmor  
 mármol negro



black nickel  
 nichel nero  
 nickel noir  
 schwarzes Nickel  
 níquel negro



black tin  
 stagno nero  
 étain noir  
 schwarzem Zinn  
 estaño negro



brass  
 ottone  
 laiton  
 Messing  
 latón



bronze  
 bronzo  
 bronze  
 Bronze  
 bronce



chrome  
 cromo  
 chrome  
 Chrom  
 cromado



copper  
 rame  
 cuivre  
 Kupfer  
 cobre



coral  
 corallo  
 corail  
 Koralle  
 coral



dark blue  
 blu scuro  
 bleu foncé  
 dunkel Blau  
 azul oscuro



dark grey + concrete finish  
 grigio scuro + finitura cemento  
 gris foncé + finition ciment  
 dunkel Grau + Zementoberfläche  
 gris oscuro + acabado de cemento



dark grey + copper  
 grigio scuro + rame  
 gris foncé + cuivre  
 dunkel Grau + Kupfer  
 gris oscuro + cobre



dark grey + wood finish  
 grigio scuro + finitura legno  
 gris foncé + finition bois  
 dunkel Grau + Holzoberfläche  
 gris oscuro + acabado de madera



dove-grey  
 grigio tortora  
 gris tourterelle  
 Taubengrau  
 gris paloma



ecru  
 ecru  
 écru  
 Ecru  
 ecru



gold leaf  
 foglia oro  
 feuille d'or  
 Gold Blatt  
 hoja de oro



green onyx  
 onice verde  
 onyx vert  
 grüner Onyx  
 ónix verde



inox  
 inox  
 inox  
 Inox  
 inox



moka  
 moka  
 moka  
 Mokka  
 moka



orange  
 arancione  
 orange  
 Orange  
 naranja



pop  
 pop  
 pop  
 Pop  
 pop



red  
 rosso  
 rouge  
 Rot  
 rojo



sand + copper  
 sabbia + rame  
 sable + cuivre  
 Sand + Kupfer  
 arena + cobre



sand + concrete finish  
 sabbia + finitura cemento  
 sable + finition ciment  
 Sand + Zementoberfläche  
 arena + acabado de cemento



sand + wood finish  
 sabbia + finitura legno  
 sable + finition bois  
 Sand + Holzoberfläche  
 arena + acabado de madera



smokey blue  
 blu fumè  
 bleu fumé  
 rauch Blau  
 azul ahumado



smokey brown  
 marrone fumè  
 marron foncé  
 rauch Braun  
 marrón ahumado



smokey green  
 verde fumè  
 vert fumé  
 rauch Grün  
 verde ahumado



smokey grey  
 grigio fumè  
 gris fumé  
 Rauchgrau  
 gris ahumado



warm white  
 bianco caldo  
 blanc chaud  
 Warmweiß  
 blanco roto



white  
 bianco  
 blanc  
 Weiß  
 blanco



white marble  
 marmo bianco  
 marbre blanc  
 weiss Marmor  
 mármol blanco

## CODES

<sup>EN</sup> The codes in this price list are referred to devices with voltage feeding 220-240 V and are produced according to the standards in compliance with **CE** directives. Where the abbreviation / GB is mentioned it states the possibility to order devices with plug adaptor suitable for the UK market (type G, standard IEC). The devices without plug do not require any different fitting from **CE** standard for being used in the UK market.

<sup>FR</sup> I codici riportati in questo listino si riferiscono ad apparecchi funzionanti con tensioni di alimentazione a 220- 240 V realizzati secondo gli standard in conformità alle direttive comunitarie **CE**.

Ove presente la sigla / GB si indica la possibilità di ordinare apparecchi dotati di spine adatte per il mercato UK (tipo G, standard IEC). Gli apparecchi non dotati di spina non richiedono allestimenti diversi dagli standard **CE** per essere utilizzati nel mercato UK.

<sup>FR</sup> Les codes dans ce tarif font référence aux luminaires à tension 220-240 V uniquement, qui sont fabriqués en conformité des normes **CE**.

Le paragraphe / GB signale la possibilité de commander des lampes sur pied avec des fiches appropriées pour le marché britannique (type G, standard IEC). Les appareils sans fiches sont utilisables en Grande Bretagne sans modifications par rapport aux standards **CE**.

<sup>DE</sup> Die in dieser Preisliste aufgeführten Artikelnummer beziehen sich auf Geräte mit der Versorgungsspannung von 220-240 V, die unter der Einhaltung des **CE** Standards hergestellt wurden.

Die Abkürzung / GB ermöglicht die Bestellung der Geräte mit den Steckern, die für den britischen Markt (Typ G, Standard IEC) bestimmt sind. Geräte ohne Stecker erfordern für den britischen Markt keine besondere Ausrüstung, die unterschiedlich vom **CE** Standard ist.

<sup>ES</sup> Los códigos que aparecen en esta tarifa, se refieren a aparatos que funcionan con tensión de alimentación a 220-240 V realizados según los standards con conformidad a las directivas comunitarias de la **CE**.

Donde esté presente las siglas / GB se indica la posibilidad de pedir aparatos dotados de enchufe adaptado para el mercado UK (tipo G, standard IEC). Los aparatos que no están dotados con enchufe no necesitan complementos diversos a los estándares **CE** para ser utilizados en el mercado UK.

## NOTES

<sup>EN</sup> Goods delivery have to be considered Ex Factory.

Goods are carefully and accurately packaged, Kdln S.r.l. declines all responsibilities for any damage caused by the transport.

All merchandise is shipped at the dealer's risk, even if free of carriage.

Any claim related to apparent and occult defects has to be communicated to Kdln by mail or fax within 8 days from the date of receipt of the goods.

Kdln reserves the right to alter any of the above conditions, at its own discretion and without notice.

Suspension lamps are supplied with 180 cm (70.9 in) long cables. Different lengths can be produced on demand. The company reserves the right to change the design of the canopies and the cable length without notice.

The dimmability of suspension and wall lamps with E27 (E26) and E14 (E12) bulb sockets depends on the dimmability of the chosen light source.

Product colors can differ from what is shown in the catalogue and from batch to batch.

The listed light emission in Lumen is nominal.

For any disputes the involved Forum is Milan (Italy).

<sup>FR</sup> La merce si intende franco fabbrica.

La merce è attentamente e accuratamente imballata, Kdln S.r.l. declina ogni responsabilità per danni causati dal trasporto.

La merce viaggia a rischio e pericolo del committente, anche se spedita in porto franco.

Reclami per difetti apparenti ed occulti devono essere comunicati via mail o fax entro 8 giorni dal ricevimento della merce.

Kdln si riserva il diritto di modificare qualsiasi delle suddette condizioni, a propria discrezione e senza alcun preavviso.

Le lampade a sospensione sono dotate di cavi lunghi 180 cm (70.9 in).

Eventuali misure diverse possono essere prodotte su richiesta. La società si riserva comunque il diritto di variare il disegno dei rosconi e la lunghezza dei cavi senza alcun preavviso.

La dimmerabilità delle lampade a sospensione e delle lampade da parete con attacco E27 (E26) e E14 (E12) dipende dalla dimmerabilità della sorgente luminosa scelta.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

I lumen indicati sono da considerarsi nominali.

Per qualsiasi controversia sarà competente il Foro di Milano, Italia.

<sup>FR</sup> La marchandise est livrée à la condition 'départ usine'.

Toutes les marchandises voyagent aux risques et périls du revendeur, même si elles sont rendues franco de port.

Les réclamations pour défauts apparents et occultes doivent être notifiés par mail ou fax dans les 8 jours suivant la réception de la marchandise.

Kdln se réserve le droit de modifier n'importe laquelle des clauses précédentes sans préavis, en fonction de ses exigences.

Les lampes à suspension sont équipées de câbles d'une longueur de 180 cm (70.9 in). D'éventuelles autres mesures peuvent être produites sur demande. La société se réserve toutefois le droit de modifier le dessin des rosaces et la longueur des câbles sans aucun préavis.

La variation de lumière des suspensions et appliques E27 (E26) et E14 (E12) dépend de la source lumineuse choisie.

Les couleurs des produits peuvent varier par rapport à ce qui est présenté dans le catalogue ainsi que de lot à lot.

Les lumens indiqués s'entendent nominaux.

Le Tribunal de Milan (Italie) sera le seul compétent pour toutes contestations.

<sup>DE</sup> Die Ware wird ab Werk verkauft.

Die Ware wird sorgfältig und gründlich verpackt. Kdln S.r.l. lehnt jegliche Haftung für Transportschäden ab.

Sämtliche Waren werden auf Risiko und Gefahr des Einzelhändlers transportiert, auch im Falle von Verschickung frei Bestimmungsort.

Jegliche Reklamationen der Waren müssen innerhalb von 8 Tagen nach Erhalt der Lieferung per Post oder Fax mitgeteilt werden.

Kdln behält sich das Recht vor, alle oben genannten Bedingungen nach eigenem Ermessen und ohne vorherige Ankündigung zu ändern.

Die Hängelampen verfügen über 180 cm (70.9 in). lange Kabel.

Andere Längen können auf Anfrage hergestellt werden. Das Unternehmen behält sich in jedem Falle das Recht vor, das Design der Rosetten und die Länge der Kabel ohne Vorankündigung zu ändern.

Die Dimmbarkeit der Pendel- und Wandleuchten mit den E27-Fassungen (E26) und E14-Fassungen (E12) ist von der Dimmbarkeit der gewählten Lichtquelle abhängig.

Die Farben der Produkte können sich von den Abbildungen im Katalog unterscheiden und von einem Fertigungslos zum anderen variieren.

Die angegebenen Lumen sind Nominalwerte.

Der zuständige Gerichtshof ist Mailand (Italien).



ES: La mercancía se entiende a portes debidos.

La mercancía está atentamente y cuidadosamente embalada, Kdln srl declina cualquier responsabilidad por los daños causados por el transporte.

Todas las mercancías viajan a riesgo del comerciante aunque se hayan franqueado por el destinatario.

Las reclamaciones por defectos aparentes y ocultos tienen que ser comunicados por mail o por fax dentro de 8 días del recibo de la mercancías.

Kdln se reserva el derecho de modificar cualquiera de las cláusulas precedentes sin aviso previo en caso de necesidades, decisiones o exigencias propias.

Las lámparas de suspensión cuentan con cables de 180 cm (70.9 in).

Bajo petición, se pueden producir diversas medidas.

De todas formas, la sociedad se reserva el derecho de cambiar el diseño de los florones y la longitud de los cables sin previo aviso.

La dimabilidad de las lámparas a suspensión y de las lámparas a pared con enchufe E27 (E26) y E14 (E12) depende de la dimabilidad de la fuente de luz elegida.

Los lúmenes indicados son nominales.

Los colores de los productos pueden variar respecto a lo que se muestra en el catálogo y de un lote a otro. Para toda pendencia el Forum implicado es Milán (Italia).

## MARKING



Class I luminaire: it's necessary to connect the device to the yellow/green protective conductor (earthing).

Apparecchio in Classe I: è obbligatoria la connessione al conduttore di protezione giallo/verde (messa a terra).

Classe I: il est obligatoire de relier l'appareil à la terre.

Schutzklasse I: alle berührbaren Metallteile sind elektrisch leitend miteinander verbunden und werden mit dem Netzschutzleiter verbunden.

Aparato en clase I: es obligatoria la conexión al conductor de protección amarillo/verde (toma de tierra).



Class II luminaire: appliance with double insulation.

Apparecchio in Classe II: apparecchio in doppio isolamento.

Classe II: appareil doté de double isolation.

Schutzklasse II: gerat mit doppelter isolierung.

Aparato en clase II: aparato provisto de aislamiento doble.



Class III luminaire: appliance in which protection against electrical shock is guaranteed by the extremely lowvoltage power supply.

Apparecchio in Classe III: apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

Classe III: appareil avec protection contre les décharges életriques basée sur l'alimentation à une tension de sécurité très basse.

Schutzklasse III: Zum Schutz vor elektrischen Schlägen mit Niedervolt gespeistes Gerät.

Aparato en clase III: aparato en el cual la protección contra la descarga eléctrica se debe a la alimentación a muy baja tensión.

## IP20

Device protected against the penetration of solid objects greater than 12mm.

Apparecchio protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 12mm.

Protégé contre la pénétration des corps solides aux dimensions supérieures à 12mm.

Gegen das Eindringen von Festkörpern größer als 12mm geschützt.

Protección contra la penetración de cuerpos sólidos de un tamaño superior a 12mm.

## CE

It certifies the conformity of the product to the European community directives.

Attesta la conformità del prodotto alle disposizioni della Comunità Europea.

Il atteste la conformité du produit aux directives de la Communauté Européenne.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Europäischen Gemeinschaft.

Certifica la conformidad del producto con las disposiciones de la Comunidad Europea.

## EAC

It certifies the conformity of the product to the Eurasian Customs Union directives.

Attesta la conformità del prodotto alle disposizioni dell'Unione doganale eurasiatica.

Il atteste la conformité du produit aux directives de l'union douanière eurasiatique.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Eurasischen Zollunion.

Certifica la conformidad del producto con las disposiciones de la Unión Aduanera Euroasiática.



It certifies the conformity of the product to the North American market directives.

Attesta la conformità del prodotto alle disposizioni del mercato nordamericano.

Il atteste la conformité du produit aux directives du marché nord-américain.

Das Zeichen bescheinigt, dass das Produkt den Vorschriften des nordamerikanischen Marktes entspricht.

Certifica la conformidad del producto con las disposiciones del mercado norteamericano. Marca de conformidad U.S.A. y Canada.




# BIRD FLOOR

Jordi Pla / 2024

| code           | colour          | PRICE vat excl. |
|----------------|-----------------|-----------------|
| 514439NEU / GB | ● black RAL9005 | 470 €           |
| 514439BEU / GB | ● white RAL9010 |                 |
| 514439REU / GB | ● brick red     |                 |

| feeding                                     | dimmer | certifications | materials              |
|---|--------|----------------|------------------------|
| 220-240 / 120 V                             | yes    | ◇ IP20 CE      | metal                  |
| <b>light source</b> included                |        |                | <b>light direction</b> |
| board LED 1x6 W<br>2700 K - 660 lm - CRI>90 |        |                |                        |




# EVITA

AquiliaAlberg / 2011

| code          | colour               | PRICE vat excl. |
|---------------|----------------------|-----------------|
| K155060B / GB | ● warm white RAL1013 | 1700 €          |
| K155060N / GB | ● black RAL9005      |                 |
| K155060T / GB | ● dove-grey RAL7006  |                 |
| K155060R / GB | ● red RAL3003        |                 |

| feeding   | dimmer | certifications | materials              |
|---|--------|----------------|------------------------|
| 220-240 / 120 V   | yes    | ⊕ IP20 CE ENEC | metal + technopolymers |
| <b>light source</b> included                              |        |                | <b>light direction</b> |
| 2x54 W - T5 fluorescent<br>or compatible LED light source |        |                |                        |




# E.T.A.

Guglielmo Berchicci / 1997

| code             | colour   | PRICE vat excl. |
|------------------|----------|-----------------|
| 0171596BIEU / GB | ● white  | 1500 €          |
| 0171596AREU / GB | ● orange |                 |

| feeding   | dimmer | certifications | materials              |
|---|--------|----------------|------------------------|
| 220-240 / 120 V                                     | yes    | ⊕ IP20 CE ENEC | fiberglass + metal     |
| <b>light source</b> not included                    |        |                | <b>light direction</b> |
| 3x40 W max - E14 (E12) +<br>1x100 W max - E27 (E26) |        |                |                        |






# KUSHI FLOOR

Alberto Saggia & Valerio Sommella / 2016

| code           | colour          | PRICE vat excl. |
|----------------|-----------------|-----------------|
| K2281059N / GB | ● black RAL9005 | 1150 €          |
| K2281059O / GB | ● brass         |                 |
| K2281059R / GB | ● copper        |                 |

| feeding                                       | dimmer | certifications | materials       |
|---|--------|----------------|-----------------|
| 100-240 V                                     | yes    | ☐ IP20 CE ENEC | glass + metal   |
| light source included                         |        |                | light direction |
| board LED 3x4.6W<br>2700 K - 1900 lm - CRI>90 |        |                |                 |




# KUSHI XL FLOOR

Alberto Saggia & Valerio Sommella / 2019

| code          | colour          | PRICE vat excl. |
|---------------|-----------------|-----------------|
| K219105N / GB | ● black RAL9005 | 1280 €          |
| K219105O / GB | ● brass         |                 |
| K219105R / GB | ● copper        |                 |

| feeding                      | dimmer | certifications | materials       |
|------------------------------|--------|----------------|-----------------|
| 220-240 / 120 V              | yes    | ☐ IP20 CE ENEC | glass + metal   |
| light source not included    |        |                | light direction |
| 2x70 W max - E27 - Ø 6cm max |        |                |                 |




# KYUDO

Hansandfranz / 2009

| code             | colour           | PRICE vat excl. |
|------------------|------------------|-----------------|
| K048133BIEU / GB | ● white RAL9016  | 1750 €          |
| K048133NEEU / GB | ● black RAL9005  |                 |
| K048133AREU / GB | ● orange RAL2007 |                 |

| feeding                                       | dimmer | certifications | materials       |
|---|--------|----------------|-----------------|
| 100-240 V                                     | yes    | ☐ IP20 CE ENEC | aluminium       |
| light source included                         |        |                | light direction |
| strip LED 1x36 W<br>2700 K - 4515 lm - CRI>90 |        |                |                 |






# MODEL T

Francesca Smiraglia / 2023

| code             | colour          | PRICE vat excl. |
|------------------|-----------------|-----------------|
| K511435N / GB    | ● black RAL9005 | 980 €           |
| K511435POP / GB  | ● pop           |                 |
| K511435INOX / GB | ● inox          | 1250 €          |

| feeding   | dimmer | certifications | materials          |
|-----------|--------|----------------|--------------------|
| 100-240 V | yes    | □ IP20 CE      | metal + plexiglass |

| light source included                        | light direction |
|--|-----------------|
| board LED 1x65W<br>2700 K - 6600 lm - CRI>90 |                 |




# OPYO FLOOR

Cristina Celestino / 2019

| code          | colour          | PRICE vat excl. |
|---------------|-----------------|-----------------|
| K350355B / GB | ● white RAL9010 | 920 €           |
| K350355C / GB | ● coral RAL3012 |                 |
| K350355O / GB | ● brass         |                 |

| feeding         | dimmer | certifications | materials     |
|-----------------|--------|----------------|---------------|
| 220-240 / 120 V | yes    | □ IP20 CE ENEC | glass + metal |

| light source not included | light direction |
|---------------------------|-----------------|
| 1x70 W max - E27 (E26)    |                 |




# POISE FLOOR

Robert Dabi / 2022

| code         | colour          | PRICE vat excl. |
|--------------|-----------------|-----------------|
| 505425N / GB | ● black RAL9005 | 550 €           |

| feeding         | dimmer | certifications | materials |
|-----------------|--------|----------------|-----------|
| 220-240 / 120 V | yes    | □ IP20 CE      | metal     |

| light source included                         | light direction |
|---|-----------------|
| strip LED 1x28 W<br>2700 K - 3600 lm - CRI>90 |                 |






# SHAKTI

Marzio Rusconi Clerici / 2001


| code                    | colour                  | PRICE vat excl. |                    |
|-------------------------|-------------------------|-----------------|--------------------|
| SHAKTI 200              |                         |                 |                    |
| KSA110BIEU / GB         | ● white + satin base    | 780 €           |                    |
| KCR110BIEU / GB         | ● white + polished base | 830 €           |                    |
| SHAKTI 250              |                         |                 |                    |
| KSA111BIEU / GB         | ● white + satin base    | 950 €           |                    |
| feeding                 | dimmer                  | certifications  | materials          |
| 220-240 / 120 V         | yes                     | ☐ IP20 CE ENEC  | plexiglass + metal |
| light source            | not included            |                 | light direction    |
| 2x100 W max - E27 (E26) |                         |                 |                    |



# TRIPOD FLOOR

Christophe Pillet / 2002


| code                   | colour       | PRICE vat excl. |                 |
|------------------------|--------------|-----------------|-----------------|
| K947BIEU / GB          | ● white      | 1100 €          |                 |
| K947BEEU / GB          | ● ecru       |                 |                 |
| K947MOEU / GB          | ● moka       |                 |                 |
| feeding                | dimmer       | certifications  | materials       |
| 220-240 / 120 V        | yes          | ☐ IP20 CE ENEC  | metal + fabric  |
| light source           | not included |                 | light direction |
| 3x70 W max - E27 (E26) |              |                 |                 |



# TYLA

Marc Sadler / 2021

| code                  | colour              | PRICE vat excl. |                 |
|-----------------------|---------------------|-----------------|-----------------|
| K501418B / GB         | ● white RAL9010     | 935 €           |                 |
| K501418BLU / GB       | ● dark blue RAL5004 |                 |                 |
| K501418RO / GB        | ● red RAL3004       |                 |                 |
| feeding               | dimmer              | certifications  | materials       |
| 220-240 / 120 V       | yes                 | ☐ IP20 CE ENEC  | glass + metal   |
| light source          | not included        |                 | light direction |
| 1x70W max - E27 (E26) |                     |                 |                 |






# ATOMIUM

Hopf&Wortmann - Büro Für Form / 2006

| code            | colour  | PRICE vat excl. |
|-----------------|---------|-----------------|
| 011890BIEU / GB | ● white | 660 €           |

| feeding                          | dimmer | certifications | materials              |
|----------------------------------|--------|----------------|------------------------|
| 220-240 / 120 V                  | no     | □ IP20 CE ENEC | polyethylene           |
| <b>light source</b> not included |        |                | <b>light direction</b> |
| 6x40 W max - E14 (E12)           |        |                |                        |




# BIRD TABLE

Jordi Pla / 2024

| code           | colour          | PRICE vat excl. |
|----------------|-----------------|-----------------|
| 514438NEU / GB | ● black RAL9005 | 350 €           |
| 514438BEU / GB | ● white RAL9010 |                 |
| 514438REU / GB | ● brick red     |                 |

| feeding   | dimmer | certifications | materials              |
|---|--------|----------------|------------------------|
| 220-240 / 120 V                                 | yes    | ◇ IP20 CE      | metal                  |
| <b>light source</b> included                    |        |                | <b>light direction</b> |
| board LED 1x6 W max<br>2700 K - 660 lm - CRI>90 |        |                |                        |




# HIVE

Ini Archibong / 2017

| code          | colour  | PRICE vat excl. |
|---------------|---------|-----------------|
| K390325B / GB | ● white | 550 €           |
| K390325N / GB | ● black |                 |
| K390325R / GB | ● red   |                 |

| feeding                          | dimmer | certifications | materials              |
|----------------------------------|--------|----------------|------------------------|
| 220-240 / 120 V                  | no     | □ IP20 CE ENEC | glass + ceramic        |
| <b>light source</b> not included |        |                | <b>light direction</b> |
| 1x30 W max - E27                 |        |                |                        |






## KUSHI 16 MOBILE

Alberto Saggia & Valerio Sommella / 2016

| code      | colour          | PRICE vat excl. |
|-----------|-----------------|-----------------|
| K2291059N | ● black RAL9005 | 340 €           |
| K2291059O | ● brass         |                 |
| K2291059R | ● copper        |                 |

| feeding                                      | dimmer       | certifications        | materials     |
|--|--------------|-----------------------|---------------|
| rechargeable battery<br>5 V min 500 mA       | no           | ◇ IP20 <b>CE ENEC</b> | glass + metal |
| light source included                        | battery life | light direction       |               |
| board LED 1x1.3W<br>2700 K - 150 lm - CRI>90 | 5h 30min     |                       |               |




## KUSHI 16 TABLE

Alberto Saggia & Valerio Sommella / 2015

| code          | colour          | PRICE vat excl. |
|---------------|-----------------|-----------------|
| K227105N / GB | ● black RAL9005 | 270 €           |
| K227105O / GB | ● brass         |                 |
| K227105R / GB | ● copper        |                 |

| feeding                   | dimmer          | certifications        | materials     |
|---------------------------|-----------------|-----------------------|---------------|
| 220-240 / 120 V           | no              | □ IP20 <b>CE ENEC</b> | glass + metal |
| light source not included | light direction |                       |               |
| 1x25 W max - G9           |                 |                       |               |




## KUSHI 33 TABLE

Alberto Saggia & Valerio Sommella / 2015

| code          | colour          | PRICE vat excl. |
|---------------|-----------------|-----------------|
| K222105N / GB | ● black RAL9005 | 510 €           |
| K222105O / GB | ● brass         |                 |
| K222105R / GB | ● copper        |                 |

| feeding                   | dimmer          | certifications        | materials     |
|---------------------------|-----------------|-----------------------|---------------|
| 220-240 / 120 V           | yes             | □ IP20 <b>CE ENEC</b> | glass + metal |
| light source not included | light direction |                       |               |
| 1x30 W max - E27          |                 |                       |               |






# KUSHI XL TABLE

Alberto Saggia & Valerio Sommella / 2019

| code          | colour          | PRICE vat excl. |
|---------------|-----------------|-----------------|
| K223105N / GB | ● black RAL9005 | 680 €           |
| K223105O / GB | ● brass         |                 |
| K223105R / GB | ● copper        |                 |

| feeding                          | dimmer | certifications | materials              |
|----------------------------------|--------|----------------|------------------------|
| 220-240 / 120 V                  | yes    | IP20 CE ENE    | glass + metal          |
| <b>light source</b> not included |        |                | <b>light direction</b> |
| 1x70 W max - E27                 |        |                |                        |




# LANNÀ TABLE

Noé Duchaufour Lawrance / 2017

| code          | colour          | PRICE vat excl. |
|---------------|-----------------|-----------------|
| K385320N / GB | ● black RAL9005 | 520 €           |
| K385320 / GB  | ● brass         |                 |

| feeding                          | dimmer | certifications | materials              |
|----------------------------------|--------|----------------|------------------------|
| 220-240 / 120 V                  | no     | IP20 CE ENE    | glass + metal          |
| <b>light source</b> not included |        |                | <b>light direction</b> |
| 1x20 W max - E27<br>Ø 6cm max    |        |                |                        |







# POISE


Robert Dabi / 2021

| code         | colour          | PRICE vat excl. |
|--------------|-----------------|-----------------|
| 505424N / GB | ● black RAL9005 | 360 €           |

| feeding         | dimmer | certifications | materials |
|-----------------|--------|----------------|-----------|
| 220-240 / 120 V | yes    | ☐ IP20 CE ENEC | metal     |

| light source included                           | light direction |
|---|-----------------|
| strip LED 1x17.5 W<br>2700 K - 1050 lm - CRI>90 |                 |

**movement options**




# TATU

MrSmith Studio / 2019

| code          | colour          | PRICE vat excl. |
|---------------|-----------------|-----------------|
| K360375N / GB | ● black RAL9005 | 780 €           |
| K360375O / GB | ● brass         |                 |

| feeding         | dimmer | certifications | materials     |
|-----------------|--------|----------------|---------------|
| 220-240 / 120 V | yes    | ☐ IP20 CE ENEC | glass + metal |

| light source not included | light direction |
|---------------------------|-----------------|
| 1x105 W max - E27 (E26)   |                 |






# ATOMIUM SUSPENSION

Hopf&Wortmann - Büro Für Form / 2006

| code                      | colour   | PRICE vat excl. |              |
|---------------------------|----------|-----------------|--------------|
| 011892BIEU                | white    | 650 €           |              |
| feeding                   | dimmable | certifications  | materials    |
| 220-240 / 120 V           | yes      | ⊕ IP20          | polyethylene |
| light source not included | canopy   | light direction |              |
| 6x40 W max - E14 (E12)    | white    |                 |              |




# BIRD CEILING


Jordi Pla / 2024

| code  | colour                           | PRICE vat excl. |           |
|---|----------------------------------|-----------------|-----------|
| 514440NEU                                       | black RAL9005 - 2 tiges included | 250 €           |           |
| 514440BEU                                       | white RAL9010 - 2 tiges included |                 |           |
| 514440REU                                       | brick red - 2 tiges included     |                 |           |
| 514-AC1N  | black RAL9005 - tige 50.5 cm     | 35 €            |           |
| 514-AC1B  | white RAL9010 - tige 50.5 cm     |                 |           |
| 514-AC1R  | brick red - tige 50.5 cm         |                 |           |
| 514-AC2N  | black RAL9005 - tige 110.5 cm    | 50 €            |           |
| 514-AC2B  | white RAL9010 - tige 110.5 cm    |                 |           |
| 514-AC2R  | brick red - tige 110.5 cm        |                 |           |
| feeding   | dimmable                         | certifications  | materials |
| 220-240 / 120 V                                 | phase cut                        | ⊕ IP20          | metal     |
| light source included                           | light direction                  |                 |           |
| board LED 1x6 W max<br>2700 K - 660 lm - CRI>90 |                                  |                 |           |

BIRD STANDARD LENGTHS  
2 TIGES INCLUDED



BIRD + TIGE 50.5 CM      BIRD + TIGE 110.5 CM










# BOLHA

Valerio Sommella & Anonima Luci / 2021

| code     | colour   | PRICE vat excl. |
|----------|--|-----------------|
| K502419A |  <b>amber</b> | <b>1450 €</b>   |




| feeding                                      | dimnable  | certifications   | materials   |
|--|-----------|--|---|
| 220-240 / 120 V                              | phase cut | ⊕ IP20   | glass + aluminium   |
| light source included                        |           | canopy   | light direction   |
| board LED 1x22W<br>2700 K - 2200 lm - CRI>90 |           | brown  |  |





# CLOVER

Brodie Neill / 2011

| code      | colour   | PRICE vat excl. |
|-----------|--|-----------------|
| 140049LED |  <b>white RAL9016</b> | <b>1800 €</b>   |

| feeding  | dimnable      | certifications   | materials   |
|--|---------------|--|---|
| 110-240 V  | 1-10V or Push | ⊕ IP20   | polyurethane + aluminium  |
| light source included  |               | canopy   | light direction   |
| 220-240 V: board LED 1x20 W<br>2700 K - 1980 lm - CRI>90<br>110-120 V: board LED 1x18 W<br>2700 K - 1650 lm - CRI>90 |               | white  |  |





# DALA

Francesca Smiraglia / 2021


| code               | colour                      | PRICE vat excl. |
|--------------------|-----------------------------|-----------------|
| <b>DALA 2700 K</b> |                             |                 |
| K503420GL          | dark grey + wood finish     | 950 €           |
| K503420SL          | sand + wood finish          |                 |
| K503420GC          | dark grey + concrete finish |                 |
| K503420SC          | sand + concrete finish      |                 |
| K503420GR          | dark grey + copper          |                 |
| K503420SR          | sand + copper               |                 |
| K503420BB          | white                       | 840 €           |
| <b>DALA 3000 K</b> |                             |                 |
| K503420GL30        | dark grey + wood finish     | 950 €           |
| K503420SL30        | sand + wood finish          |                 |
| K503420GC30        | dark grey + concrete finish |                 |
| K503420SC30        | sand + concrete finish      |                 |
| K503420GR30        | dark grey + copper          |                 |
| K503420SR30        | sand + copper               |                 |
| K503420BB30        | white                       | 840 €           |

| feeding         | dimmable  | certifications | materials            |
|-----------------|-----------|----------------|----------------------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE ENEC | metal + polyethylene |

### light source included

DALA 2700 K:  
board LED 1x42W - 2700 K - 4200 lm - CRI>90  
DALA 3000 K:  
board LED 1x42W - 3000 K - 4350 lm - CRI>90

### light direction





# DALA LINEAR



Francesca Smiraglia / 2022

| code                      | colour                      | PRICE vat excl. |
|---------------------------|-----------------------------|-----------------|
| <b>DALA LINEAR 2700 K</b> |                             |                 |
| K503427GL                 | dark grey + wood finish     | 950 €           |
| K503427SL                 | sand + wood finish          |                 |
| K503427GC                 | dark grey + concrete finish |                 |
| K503427SC                 | sand + concrete finish      |                 |
| K503427GR                 | dark grey + copper          |                 |
| K503427SR                 | sand + copper               |                 |

|                           |                             |       |
|---------------------------|-----------------------------|-------|
| <b>DALA LINEAR 3000 K</b> |                             |       |
| K503427GL30               | dark grey + wood finish     | 950 € |
| K503427SL30               | sand + wood finish          |       |
| K503427GC30               | dark grey + concrete finish |       |
| K503427SC30               | sand + concrete finish      |       |
| K503427GR30               | dark grey + copper          |       |
| K503427SR30               | sand + copper               |       |

| feeding         | dimmable  | certifications | materials |
|-----------------|-----------|----------------|-----------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE Ⓜ    | metal     |

| light source included  | canopy            | light direction |
|--|-------------------|-----------------|
| DALA LINEAR 2700 K:<br>board LED 1x43 W<br>2700 K - 5150 lm - CRI>90 | dark grey or sand |                 |
| DALA LINEAR 3000 K:<br>board LED 1x43 W<br>3000 K - 5300 lm - CRI>90 |                   |                 |





# DEW

Emmanuel Babled / 2009

| code       | colour          | PRICE vat excl. |
|------------|-----------------|-----------------|
| DEW        |                 |                 |
| 0451291EU  | ● chrome        | 395 €           |
| 0451291NEU | ● black RAL9005 | 425 €           |
| 0451291OEU | ● brass         |                 |


| DEW FALSE CEILING |                 |       |
|-------------------|-----------------|-------|
| 0451291C          | ● chrome        | 380 € |
| 0451291CN         | ● black RAL9005 | 415 € |
| 0451291CO         | ● brass         |       |

| feeding         | dimmable  | certifications   | materials     |
|-----------------|-----------|------------------|---------------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE ENE Ⓢ* | glass + metal |
|                 |           | *only DEW        |               |

### special requests

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs.

| light source included                       | canopy + cable length                            | light direction |
|---|--|-----------------|
| board LED 1x5 W<br>2700 K - 440 lm - CRI>90 | chromed or black or brass<br>cable length 250 cm |                 |



# DEW 3



Emmanuel Babled / 2009

| code       | colour          | PRICE vat excl. |
|------------|-----------------|-----------------|
| 0451293EU  | ● chrome        | 1150 €          |
| 0451293NEU | ● black RAL9005 | 1250 €          |
| 0451293OEU | ● brass         |                 |

| feeding         | dimmable  | certifications  | materials     |
|-----------------|-----------|-----------------|---------------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE ENE Ⓢ | glass + metal |

| light source included                        | canopy + cable length                            | light direction |
|--|--|-----------------|
| board LED 3x5 W<br>2700 K - 1320 lm - CRI>90 | chromed or black or brass<br>cable length 250 cm |                 |






## DEW 5

Emmanuel Babled / 2009

| code        | colour        | PRICE vat excl. |
|-------------|---------------|-----------------|
| K0451375EU  | chrome        | 2300 €          |
| K0451375NEU | black RAL9005 | 2500 €          |
| K0451375OEU | brass         |                 |

| feeding                                      | dimmable   | certifications | materials       |
|--|--|----------------|-----------------|
| 220-240 / 120 V                              | phase cut  | ⊕ IP20 CE ENE  | glass + metal   |
| light source included                        | canopy + cable length                                    |                | light direction |
| board LED 5x5 W<br>2700 K - 2200 lm - CRI>90 | mirrored or black or brass finish<br>cable length 450 cm |                |                 |



ø 25 cm

DEW x5



ø 11 cm




## DEW 7

Emmanuel Babled / 2009


| code        | colour        | PRICE vat excl. |
|-------------|---------------|-----------------|
| K0451377EU  | chrome        | 3200 €          |
| K0451377NEU | black RAL9005 | 3400 €          |
| K0451377OEU | brass         |                 |

| feeding                                      | dimmable   | certifications | materials       |
|--|--|----------------|-----------------|
| 220-240 / 120 V                              | phase cut  | ⊕ IP20 CE ENE  | glass + metal   |
| light source included                        | canopy + cable length                                    |                | light direction |
| board LED 7x5 W<br>2700 K - 3080 lm - CRI>90 | mirrored or black or brass finish<br>cable length 450 cm |                |                 |



ø 25 cm

DEW x7



ø 11 cm




## DEW 9

Emmanuel Babled / 2009


| code        | colour        | PRICE vat excl. |
|-------------|---------------|-----------------|
| K0451379EU  | chrome        | 4500 €          |
| K0451379NEU | black RAL9005 | 4800 €          |
| K0451379OEU | brass         |                 |

| feeding                                      | dimmable   | certifications | materials       |
|--|--|----------------|-----------------|
| 220-240 / 120 V                              | phase cut  | ⊕ IP20 CE ENE  | glass + metal   |
| light source included                        | canopy + cable length                                    |                | light direction |
| board LED 9x5 W<br>2700 K - 3960 lm - CRI>90 | mirrored or black or brass finish<br>cable length 450 cm |                |                 |



ø 49.5 cm

DEW x9



ø 11 cm




## DEW 15

Emmanuel Babled / 2009


| code         | colour        | PRICE vat excl. |
|--------------|---------------|-----------------|
| K04513715EU  | chrome        | 6880 €          |
| K04513715NEU | black RAL9005 | 7560 €          |
| K04513715OEU | brass         |                 |

| feeding                                       | dimnable   | certifications | materials       |
|---|--|----------------|-----------------|
| 220-240 / 120 V                               | phase cut  | ⊕ IP20 CE ENEC | glass + metal   |
| light source included                         | canopy + cable length                                    |                | light direction |
| board LED 15x5 W<br>2700 K - 6600 lm - CRI>90 | mirrored or black or brass finish<br>cable length 450 cm |                |                 |



ø 49.5 cm

DEW x 15



ø 11 cm




## DEW 19

Emmanuel Babled / 2009


| code         | colour        | PRICE vat excl. |
|--------------|---------------|-----------------|
| K04513719EU  | chrome        | 8450 €          |
| K04513719NEU | black RAL9005 | 9300 €          |
| K04513719OEU | brass         |                 |

| feeding                                       | dimnable   | certifications | materials       |
|---|--|----------------|-----------------|
| 220-240 / 120 V                               | phase cut  | ⊕ IP20 CE ENEC | glass + metal   |
| light source included                         | canopy + cable length                                    |                | light direction |
| board LED 19x5 W<br>2700 K - 8360 lm - CRI>90 | mirrored or black or brass finish<br>cable length 450 cm |                |                 |



ø 49.5 cm

DEW x 19



ø 11 cm



## E.T.A. SAT

Guglielmo Berchicci / 1997

| code       | colour | PRICE vat excl. |
|------------|--------|-----------------|
| 017106BIEU | white  | 1200 €          |
| 017106AREU | orange |                 |

| feeding   | dimnable | certifications | materials                          |
|---|----------|----------------|------------------------------------|
| 220-240 / 120 V                                     | yes      | ⊕ IP20 CE ENEC | fiberglass + polycarbonate + metal |
| light source not included                           | canopy   |                | light direction                    |
| 1x40 W max - E14 (E12) +<br>1x100 W max - E27 (E26) | white    |                |                                    |



ø 12 cm

4.5 cm



80 cm

5.5 cm






# FLOED

StorageMilano / 2020

| code      | colour   | PRICE vat excl. |
|-----------|----------|-----------------|
| K375416BR | ● bronze | 845 €           |

| feeding                               | dimnable | certifications | materials              |
|---------------------------------------|----------|----------------|------------------------|
| 220-240 / 120 V                       | yes      | ⊕ IP20 CE ENEC | glass + metal          |
| <b>light source</b> not included      |          |                | <b>light direction</b> |
| 1x70 W max - E27 (E26) - L 10.5cm max |          |                |                        |




# FLOED 2

StorageMilano / 2020

| code      | colour   | PRICE vat excl. |
|-----------|----------|-----------------|
| K375417BR | ● bronze | 1450 €          |

| feeding                               | dimnable | certifications | materials              |
|---------------------------------------|----------|----------------|------------------------|
| 220-240 / 120 V                       | yes      | ⊕ IP20 CE ENEC | glass + metal          |
| <b>light source</b> not included      |          |                | <b>light direction</b> |
| 2x70 W max - E27 (E26) - L 10.5cm max |          |                |                        |






# FLOW

Chris Basias / 2022

| code        | colour  | PRICE vat excl. |
|-------------|---|-----------------|
| 506428N     | ● black RAL9005                               | 250 €           |
| 500500N     | ● black RAL9005 - canopy                      | 68 €            |
| 500501N     | ● black RAL9005 - false ceiling canopy        | 42 €            |
| 500517N     | ● black RAL9005 - multiple canopy max 8 lamps | 230 €           |
| <b>LEAF</b> |   |                 |
| 506430N     | ● black RAL9005 - accessory                   | 140 €           |

| feeding                          | dimnable | certifications | materials              |
|----------------------------------|----------|----------------|------------------------|
| 120-240 V                        | yes      | ⊕ IP20 CE      | glass + metal          |
| <b>light source</b> not included |          |                | <b>light direction</b> |
| 1x25W max - G9                   |          |                |                        |





# FLOW CEILING



Chris Basias / 2022

| code    | colour          | PRICE vat excl. |
|---------|-----------------|-----------------|
| 506429N | ● black RAL9005 | 260 €           |

| LEAF    |                             |       |
|---------|-----------------------------|-------|
| 506430N | ● black RAL9005 - accessory | 140 € |

| feeding   | dimmable | certifications | materials     |
|-----------|----------|----------------|---------------|
| 120-240 V | yes      | ⊕ IP20 CE      | glass + metal |

| light source   | not included | light direction |
|----------------|--------------|-----------------|
| 1x25W max - G9 |              |                 |



# GIASS

Sebastian Herkner / 2017

| code | colour | PRICE vat excl. |
|------|--------|-----------------|
|------|--------|-----------------|

|          |               |        |
|----------|---------------|--------|
| GIASS 25 |               |        |
| K395330S | ● white       | 1500 € |
| K395330G | ● smokey grey |        |

|          |               |        |
|----------|---------------|--------|
| GIASS 30 |               |        |
| K396330S | ● white       | 1660 € |
| K396330G | ● smokey grey |        |

|          |               |        |
|----------|---------------|--------|
| GIASS 40 |               |        |
| K397330S | ● white       | 1830 € |
| K397330G | ● smokey grey |        |

|          |               |        |
|----------|---------------|--------|
| GIASS 50 |               |        |
| K398330S | ● white       | 2150 € |
| K398330G | ● smokey grey |        |

| feeding         | dimmable | certifications | materials     |
|-----------------|----------|----------------|---------------|
| 220-240 / 120 V | 0-10V    | ⊕ IP20 CE ENEC | glass + metal |

## multiple composition

Giass can be installed in multiple compositions fed by one single light point





| light source | included | light direction |
|--------------|----------|-----------------|
|--------------|----------|-----------------|

GIASS 25:  
board LED 1x21.5W - 2700 K - 1700 lm - CRI>90

GIASS 30:  
board LED 1x27.5W - 2700 K - 2250 lm - CRI>90

GIASS 40:  
board LED 1x35W - 2700 K - 3100 lm - CRI>90

GIASS 50:  
board LED 1x44W - 2700 K - 3950 lm - CRI>90





# JER

Valerio Sommella & Anonima Luci / 2021


| code      | colour       | PRICE vat excl. |
|-----------|--------------|-----------------|
| K504421FB | smokey blue  | 585 €           |
| K504421FM | smokey brown |                 |
| K504421FV | smokey green |                 |

| feeding         | dimnable  | certifications | materials     |
|-----------------|-----------|----------------|---------------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE ENEC | glass + metal |

| light source included                      | canopy | light direction |
|--|--------|-----------------|
| board LED 1x6W<br>2700 K - 495 lm - CRI>80 | black  |                 |



# KATE

Francesca Smiraglia / 2023


| code         | colour             | PRICE vat excl. |
|--------------|--------------------|-----------------|
| KATE 2700K   |                    |                 |
| K510434B27   | white              | 940 €           |
| 510434-60227 | gold leaf          | 1850 €          |
| 510434-XXX27 | colours on request | 1150 €          |
| KATE 3000K   |                    |                 |
| K510434B30   | white              | 940 €           |
| 510434-60230 | gold leaf          | 1850 €          |
| 510434-XXX30 | colours on request | 1150 €          |

| feeding         | dimnable  | certifications | materials            |
|-----------------|-----------|----------------|----------------------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE      | metal + polyethylene |

| light source included                                       | light direction |
|---|-----------------|
| KATE 2700 K:<br>board LED 1x65W - 2700 K - 6856 lm - CRI>90 |                 |
| KATE 3000 K:<br>board LED 1x65W - 3000 K - 6956 lm - CRI>90 |                 |






# KATE SUSPENSION

Francesca Smiraglia / 2024

| code                         | colour               | PRICE vat excl. |
|------------------------------|----------------------|-----------------|
| <b>KATE SUSPENSION 2700K</b> |                      |                 |
| K510437B27                   | ● white              | 1100 €          |
| 510437-60227                 | ● gold leaf          | 1970 €          |
| 510437-XXX27                 | ● colours on request | 1270 €          |
| <b>KATE SUSPENSION 3000K</b> |                      |                 |
| K510437B30                   | ● white              | 1100 €          |
| 510437-60230                 | ● gold leaf          | 1970 €          |
| 510437-XXX30                 | ● colours on request | 1270 €          |


| feeding  | dimnable                                    | certifications  | materials            |
|--|---|-----------------|----------------------|
| 220-240 / 120 V  | phase cut                                   | ⊕ IP20 CE       | metal + polyethylene |
| light source included  | canopy                                      | light direction |                      |
| KATE SUSPENSION 2700 K:<br>board LED 1x65W<br>2700 K - 6856 lm - CRI>90<br>KATE SUSPENSION 3000 K:<br>board LED 1x65W<br>3000 K - 6956 lm - CRI>90 | white or gold leaf or<br>colours on request |                 |                      |



# KOOI

Studio Shuu / 2023

| code   | colour          | PRICE vat excl. |               |
|--|-----------------|-----------------|---------------|
| 509433N                                      | ● black RAL9005 | 680 €           |               |
| feeding                                      | dimnable        | certifications  | materials     |
| 220-240 / 120 V                              | phase cut       | ⊕ IP20 CE       | glass + metal |
| light source included                        | canopy          | light direction |               |
| board LED 1x26W<br>2700 K - 2179 lm - CRI>90 | black           |                 |               |






## KUSHI 16 CEILING

Alberto Saggia & Valerio Sommella / 2015

| code     | colour          | PRICE vat excl. |
|----------|-----------------|-----------------|
| K225105N | ● black RAL9005 | 270 €           |
| K225105O | ● brass         |                 |
| K225105R | ● copper        |                 |

| feeding   | dimmable | certifications | materials     |
|-----------|----------|----------------|---------------|
| 220-240 V | yes      | ⊕ IP20 CE ENEC | glass + metal |

| light source    | not included | light direction |
|-----------------|--------------|-----------------|
| 1x25 W max - G9 |              |                 |




## KUSHI 33 CEILING

Alberto Saggia & Valerio Sommella / 2015

| code     | colour          | PRICE vat excl. |
|----------|-----------------|-----------------|
| K220105N | ● black RAL9005 | 430 €           |
| K220105O | ● brass         |                 |
| K220105R | ● copper        |                 |

| feeding         | dimmable | certifications | materials     |
|-----------------|----------|----------------|---------------|
| 220-240 / 120 V | yes      | ⊕ IP20 CE ENEC | glass + metal |

| light source           | not included | light direction |
|------------------------|--------------|-----------------|
| 1x30 W max - E27 (E26) |              |                 |




## KUSHI XL CEILING

Alberto Saggia & Valerio Sommella / 2022

| code     | colour          | PRICE vat excl. |
|----------|-----------------|-----------------|
| K217105N | ● black RAL9005 | 580 €           |
| K217105O | ● brass         |                 |
| K217105R | ● copper        |                 |

| feeding         | dimmable | certifications | materials     |
|-----------------|----------|----------------|---------------|
| 220-240 / 120 V | yes      | ⊕ IP20 CE ENEC | glass + metal |

| light source           | not included | light direction |
|------------------------|--------------|-----------------|
| 2x70 W max - E27 (E26) |              |                 |





## KUSHI 16 SUSPENSION

Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K226105N ● black RAL9005 290 €



K226105O ● brass

K226105R ● copper

feeding 220-240 / 120 V dimmable yes certifications ⊕ IP20 CE ENEC materials glass + metal

light source not included canopy white light direction

1x25 W max - G9



## KUSHI 33 SUSPENSION

Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K221105N ● black RAL9005 520 €



K221105O ● brass

K221105R ● copper

feeding 220-240 / 120 V dimmable yes certifications ⊕ IP20 CE ENEC materials glass + metal

light source not included canopy white light direction

1x30 W max - E27 (E26)



## KUSHI XL SUSPENSION

Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K218105N ● black RAL9005 750 €



K218105O ● brass

K218105R ● copper

feeding 220-240 / 120 V dimmable yes certifications ⊕ IP20 CE ENEC materials glass + metal

light source not included canopy white light direction

2x70 W max - E27 (E26)







# LANNÀ SUSPENSION

Noé Duchaufour Lawrance / 2017

| code     | colour          | PRICE vat excl. |
|----------|-----------------|-----------------|
| K386320N | ● black RAL9005 | 520 €           |
| K386320  | ● brass         |                 |

| feeding                             | dimnable | certifications | materials              |
|-------------------------------------|----------|----------------|------------------------|
| 220-240 / 120 V                     | yes      | ⊕ IP20 CE ENE  | glass + metal          |
| <b>light source</b> not included    |          | <b>canopy</b>  | <b>light direction</b> |
| 1x20 W max - E27 (E26)<br>Ø 6cm max |          | black or brass |                        |





# LILLI

Cristina Celestino / 2019

| code     | colour  | PRICE vat excl. |
|----------|---------|-----------------|
| K355365O | ● brass | 695 €           |

| feeding                          | dimnable | certifications | materials              |
|----------------------------------|----------|----------------|------------------------|
| 220-240 / 120 V                  | yes      | ⊕ IP20 CE ENE  | glass + metal          |
| <b>light source</b> not included |          | <b>canopy</b>  | <b>light direction</b> |
| 3x42W max - E14 (E12)            |          | white          |                        |






# LOUIS

Studio 14 / 2013

| code     | colour  | PRICE vat excl. |
|----------|---------|-----------------|
| LOUIS 34 |         |                 |
| K075245  | ● white | 370 €           |
| LOUIS 41 |         |                 |
| K075245M | ● white | 390 €           |
| LOUIS 48 |         |                 |
| K075245L | ● white | 410 €           |

| feeding                              | dimnable | certifications | materials                |
|--------------------------------------|----------|----------------|--------------------------|
| 220-240 / 120 V                      | yes      | ⊕ IP20 CE ENE  | polyethylene + aluminium |
| <b>light source</b> not included     |          | <b>canopy</b>  | <b>light direction</b>   |
| 1x30W max - E27 (E26)<br>Ø 5.5cm max |          |                |                          |





# MINIMAL

David Pompa / 2017


| code         | colour                 | PRICE vat excl. |
|--------------|------------------------|-----------------|
| 380315R *    | copper                 | 265 €           |
| 380315N *    | black nickel           |                 |
| ALI-CC350_8W | driver - not dimmable  | 30 €            |
| 500500N      | black RAL9005 - canopy | 68 €            |

\*driver not included - false ceiling canopy included


| feeding         | dimmable | certifications  |
|-----------------|----------|---|
| 220-240 / 120 V | yes      | IP20   Minimal<br>IP20   Minimal + Driver ALI-CC350_8W<br>IP20   Minimal + Canopy 500500N |

| light source included                         | canopy | light direction |
|---|--------|-----------------|
| board LED 1x3.15W<br>2700 K - 346 lm - CRI>90 | black  |                 |

CANOPY



FALSE CEILING CANOPY



# MITOS

Chris Basias / 2022

| code          | colour   | PRICE vat excl. |
|---------------|--|-----------------|
| 507431N       | black RAL9005 - spot                                       | 210 €           |
| 507-ALIEU-DIM | black RAL9005 - driver kit dimmable phase cut - max 5 spot | 250 €           |
| 507-ALIEU     | black RAL9005 - driver kit not dimmable - max 9 spot       | 220 €           |
| 507-CAV10     | copper - cable L 10m                                       | 64 €            |
| 507-CAV30     | copper - cable L 30m                                       | 165 €           |
| 507-AC1       | black RAL9005 - cable holder plate                         | 15 €            |


| feeding         | dimmable | certifications                          | materials                 |
|-----------------|----------|---|---------------------------|
| 220-240 / 120 V | yes      | IP20   spot<br>IP20   spot + driver kit | aluminium + technopolymer |

### multiple composition system capability


spot n°: max 9 (dimmable max 5 spots) - cable length: max 2 x 30m

| light source not included | light direction |
|---------------------------|-----------------|
| GU 5.3                    |                 |


### installation options




MITOS SPOT



DRIVER KIT



CABLE HOLDER PLATE







# MOTUS

Shulab / 2023



| code     | colour          | PRICE vat excl. |
|----------|-----------------|-----------------|
| K512436B | ● white RAL9010 | 470 €           |
| K512436N | ● black RAL9005 |                 |
| K512436R | ● red RAL3016   |                 |

| feeding         | dimnable  | certifications | materials     |
|-----------------|-----------|----------------|---------------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE      | glass + metal |

### sliding mechanism

press the button - slide up or slide down - release the button to fix the lamp at the desired height

| light source included                         | canopy                | light direction |
|---|-----------------------|-----------------|
| board LED 1x22 W<br>2700 K - 2346 lm - CRI>90 | white or black or red |                 |





# NAMI

Alberto Saggia & Valerio Sommella / 2017

| code     | colour          | PRICE vat excl. |
|----------|-----------------|-----------------|
| K405340N | ● black RAL9005 | 1970 €          |
| K405340  | ● brass         |                 |

| feeding   | dimnable | certifications | materials     |
|-----------|----------|----------------|---------------|
| 100-240 V | 1-10V    | ⊕ IP20 CE ENEC | glass + metal |

| light source included                       | canopy         | light direction |
|---|----------------|-----------------|
| strip LED 60 W<br>2700 K - 6020 lm - CRI>90 | black or brass |                 |





# OPYO SUSPENSION

Cristina Celestino / 2019

| code     | colour          | PRICE vat excl. |
|----------|-----------------|-----------------|
| K350356B | ● white RAL9010 | 420 €           |
| K350356C | ● coral RAL3012 |                 |
| K350356O | ● brass         |                 |

| feeding         | dimnable | certifications | materials     |
|-----------------|----------|----------------|---------------|
| 220-240 / 120 V | yes      | ⊕ IP20 CE ENEC | glass + metal |

| light source not included | canopy | light direction |
|---------------------------|--------|-----------------|
| 1x70 W max - E27 (E26)    | white  |                 |






# POISE CEILING

Robert Dabi / 2021

| code    | colour          | PRICE vat excl. |
|---------|-----------------|-----------------|
| 505426N | ● black RAL9005 | 460 €           |

| feeding                                       | dimmable  | certifications | materials | light direction |
|---|-----------|----------------|-----------|-----------------|
| 220-240 / 120 V                               | phase cut | ⊕ IP20 CE      | metal     |                 |
| <b>light source</b> included                  |           |                |           |                 |
| strip LED 1x28 W<br>2700 K - 3148 lm - CRI>90 |           |                |           |                 |





# SLING


Chris Basias / 2023

| code      | colour  | PRICE vat excl. |
|-----------|---|-----------------|
| 508432N27 | ● black RAL9005 - spot - 2700 K                         | 110 €           |
| 508432N30 | ● black RAL9005 - spot - 3000 K                         |                 |
| 508-ALIEU | ● black RAL9005 - driver kit<br>(from 2 to 9 spots max) | 180 €           |

| feeding  | dimmable  | certifications                                | materials | light direction |
|--|-----------|---|-----------|-----------------|
| 220-240 / 120 V  | phase cut | ◇ IP20 CE spot<br>⊕ IP20 CE spot + driver kit | metal     |                 |
| <b>light source</b> included                                 |           | <b>cable length</b> included                  |           |                 |
| SLING 2700 K:<br>board LED 1x5 W<br>2700 K - 500 lm - CRI>90 |           | 4 m for each spot<br>10 m for each driver kit |           |                 |
| SLING 3000 K:<br>board LED 1x5 W<br>3000 K - 520 lm - CRI>90 |           |   |           |                 |



## installation options










# SPILLO SUSPENSION

Constantin Wortmann / 2010




| code     | colour  | PRICE vat excl. |
|----------|---|-----------------|
| 232135EU |  white | 430 €           |




| feeding                           | dimmable | certifications   | materials   |
|-----------------------------------|----------|--|---|
| 220-240 / 120 V                   | yes      | ⊕ IP20   | polyethylene + metal  |
| light source not included         |          | canopy   | light direction   |
| 1x21W max - E27 (E26) - Ø 5cm max |          | white  |  |





# TRIPOD SUSPENSION

Christophe Pillet / 2002

| code       | colour  | PRICE vat excl. |
|------------|---|-----------------|
| 223945BIEU |  white | 730 €           |
| 223945ECEU |  ecru  |                 |
| 223945MOEU |  moka  |                 |

| feeding                   | dimmable | certifications   | materials   |
|---------------------------|----------|--|---|
| 220-240 / 120 V           | yes      | ⊕ IP20   | metal + fabric  |
| light source not included |          | canopy   | light direction   |
| 3x70 W max - E27 (E26)    |          | white  |  |






# VICEVERSA


Noé Duchaufour Lawrance / 2019

| code      | colour        | PRICE vat excl. |
|-----------|---------------|-----------------|
| VICEVERSA |               |                 |
| K370280GA | ● amber       | 1290 €          |
| K370280GF | ● smokey grey |                 |



|             |               |        |
|-------------|---------------|--------|
| VICEVERSA 2 |               |        |
| K370281GA   | ● amber       | 2290 € |
| K370281GF   | ● smokey grey |        |


VICEVERSA 2



| feeding   | dimnable      | certifications | materials     |
|-----------|---------------|----------------|---------------|
| 110-240 V | 1-10V or push | ⊕ IP20* CE ENE | glass + metal |

| light source included   | canopy  | light direction |
|---|---|-----------------|
| VICEVERSA:<br>board LED 9 W<br>2700 K - 990 lm - CRI>90       | dark grey   |                 |
| VICEVERSA 2:<br>board LED 16.5 W<br>2700 K - 1815 lm - CRI>90 | * canopy IP20 structure built<br>in compliance with IP54 specifications |                 |


VICEVERSA



# YUMA


David Pompa / 2017

| code     | colour  | PRICE vat excl. |
|----------|---------|-----------------|
| 370310EU | ● brass | 380 €           |



| feeding         | dimnable | certifications | materials     |
|-----------------|----------|----------------|---------------|
| 220-240 / 120 V | yes      | ⊕ IP20 CE ENE  | glass + metal |

| light source not included | canopy | light direction |
|---------------------------|--------|-----------------|
| 1x20W max - E27 (E26)     | brass  |                 |






# ATOMIUM WALL

Hopf&Wortmann - Büro Für Form / 2006

| code                   | colour       | PRICE vat excl.             |                 |
|------------------------|--------------|-----------------------------|-----------------|
| 011891BIEU             | ● white      | 440 €                       |                 |
| feeding                | dimmable     | certifications              | materials       |
| 220-240 / 120 V        | yes          | ⊕ IP20 <b>CE</b> <b>ERC</b> | polyethylene    |
| light source           | not included |                             | light direction |
| 3x40 W max - E14 (E12) |              |                             |                 |



# AZOU 3




Chris Basias / 2019

| code            | colour                                 | PRICE vat excl. |
|-----------------|--|-----------------|
| K3454113MB      | ● white marble - lamp                  | 720 €           |
| K3454113MN      | ● black marble - lamp                  |                 |
| K3454113MO      | ● green onyx - lamp                    | 1140 €          |
| 345-PLUGEU / GB | ● black - plug kit - dimmer included   | 160 €           |
| ALI-0003        | ● driver - dimmable 1-10V or push      | 105 €           |
| 500515N         | ● black - canopy - driver not included | 115 €           |

| feeding         | dimmable | certifications   | materials              |
|-----------------|----------|--|------------------------|
| 220-240 / 120 V | yes      | ◆ IP20 <b>CE</b> <b>ERC</b> lamp<br>⊕ IP20 <b>CE</b> <b>ERC</b> lamp + driver<br>⊕ IP20 <b>CE</b> <b>ERC</b> lamp + plug kit | metal + marble or onyx |

| light source   | light direction |
|--|-----------------|
| included<br>board LED 3x4.2 W<br>2700 K - 1350 lm - CRI>90 |                 |

## installation options





# AZOU 5

Chris Basias / 2019

| code            | colour                                 | PRICE vat excl. |
|-----------------|--|-----------------|
| K3454115MB      | ● white marble - lamp                  | 990 €           |
| K3454115MN      | ● black marble - lamp                  |                 |
| K3454115MO      | ● green onyx - lamp                    | 1650 €          |
| 345-PLUGEU / GB | ● black - plug kit - dimmer included   | 160 €           |
| ALI-0003        | ● driver - dimmable 1-10V or push      | 105 €           |
| 500515N         | ● black - canopy - driver not included | 115 €           |

| feeding         | dimmable | certifications   | materials              |
|-----------------|----------|--|------------------------|
| 220-240 / 120 V | yes      | ◆ IP20 <b>CE ENEC</b> lamp<br>⊕ IP20 <b>CE ENEC</b> lamp + driver<br>□ IP20 <b>CE ENEC</b> lamp + plug kit | metal + marble or onyx |




### light source included

board LED 5x4.2 W  
2700 K - 2250 lm - CRI>90

### light direction



### installation options





# AZOU 7

Chris Basias / 2019

| code            | colour                                 | PRICE vat excl. |
|-----------------|--|-----------------|
| K3454117MB      | ● white marble - lamp                  | 1350 €          |
| K3454117MN      | ● black marble - lamp                  |                 |
| K3454117MO      | ● green onyx - lamp                    | 2350 €          |
| 345-PLUGEU / GB | ● black - plug kit - dimmer included   | 160 €           |
| ALI-0003        | ● driver - dimmable 1-10V or push      | 105 €           |
| 500515N         | ● black - canopy - driver not included | 115 €           |

| feeding         | dimmable | certifications   | materials              |
|-----------------|----------|--|------------------------|
| 220-240 / 120 V | yes      | ◆ IP20 <b>CE ENEC</b> lamp<br>⊕ IP20 <b>CE ENEC</b> lamp + driver<br>□ IP20 <b>CE ENEC</b> lamp + plug kit | metal + marble or onyx |





### light source included

board LED 7x4.2 W  
2700 K - 3150 lm - CRI>90

### light direction



### installation options



# FRAME

Benjamin Hubert / 2011



| code    | colour          | PRICE vat excl. |
|---------|-----------------|-----------------|
| 145050B | ● white RAL9010 | 285 €           |
| 145050C | ● chrome        | 340 €           |

| feeding         | dimmable | certifications        | materials |
|-----------------|----------|-----------------------|-----------|
| 220-240 / 120 V | yes      | ⊕ IP20 <b>CE ENEC</b> | aluminium |

### light source not included

1x150 W max - R7s - L 78 mm

### light direction





# NAMI WALL


Alberto Saggia & Valerio Sommella / 2020

| code | colour | PRICE vat excl. |
|------|--------|-----------------|
|------|--------|-----------------|

|          |                 |       |
|----------|-----------------|-------|
| K340406N | ● black RAL9005 | 310 € |
| K340406O | ● brass         |       |

| feeding         | dimmable  | certifications | materials         |
|-----------------|-----------|----------------|-------------------|
| 220-240 / 120 V | phase cut | ⊕ IP20 CE ENEC | glass + aluminium |

| light source included                         | light direction |
|---|-----------------|
| board LED 1x12 W<br>2700 K - 1320 lm - CRI>90 |                 |



# PASTILLA


Patricia Urquiola / 2000

| code | colour | PRICE vat excl. |
|------|--------|-----------------|
|------|--------|-----------------|

|             |                 |       |
|-------------|-----------------|-------|
| 218970BIAEU | ● white RAL9016 | 350 € |
| 218970BREU  | ● bronze        |       |

| feeding         | dimmable | certifications | materials     |
|-----------------|----------|----------------|---------------|
| 220-240 / 120 V | yes      | ⊕ IP20 CE ENEC | glass + metal |

| light source not included | light direction |
|---------------------------|-----------------|
| 2x42 W max - E14 (E12)    |                 |



# PIXEL


Bakery Group / 2009

| code | colour | PRICE vat excl. |
|------|--------|-----------------|
|------|--------|-----------------|

|            |         |       |
|------------|---------|-------|
| 044128BIEU | ● white | 240 € |
|------------|---------|-------|

| feeding         | dimmable | certifications | materials            |
|-----------------|----------|----------------|----------------------|
| 220-240 / 120 V | yes      | ⊕ IP20 CE ENEC | polyethylene + metal |

| light source not included | light direction |
|---------------------------|-----------------|
| 3x12 W max - E14 (E12)    |                 |








# TUA

Behurt / 2014

| code      | colour      | PRICE vat excl. |
|-----------|-------------|-----------------|
| 100266SNL | ● black tin | 390 €           |


| feeding         | dimmable | certifications | materials     |
|-----------------|----------|----------------|---------------|
| 220-240 / 120 V | yes      | ⊕ IP20 CE ENEC | glass + metal |

| light source                | not included | light direction |
|-----------------------------|--------------|-----------------|
| 1x100 W max - R7s - L 78 mm |              |                 |







# ACCESSORIES

| code                      | colour   | PRICE vat excl. |
|---------------------------|----------|-----------------|
| <b>2 HOLES CANOPY</b>     |          |                 |
| 500521CR                  | ● chrome | 85 €            |
| 500521N                   | ● black  |                 |
| 500521O                   | ● brass  |                 |
| 500521B                   | ● white  |                 |
| <b>DECENTRALIZER</b>      |          |                 |
| 500518CR                  | ● chrome | 26 €            |
| 500518N                   | ● black  |                 |
| 500518O                   | ● brass  |                 |
| 500518B                   | ● white  |                 |
| <b>DECENTRALIZER HOOK</b> |          |                 |
| 500519N                   | ● black  | 15 €            |
| 500519B                   | ● white  |                 |
| <b>WIRE GRIPLOCK</b>      |          |                 |
| 500520CR                  | ● chrome | 15 €            |
| 500520N                   | ● black  |                 |
| 500520B                   | ● white  |                 |



# SPECIAL CANOPIES

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs. Thanks to the technical and commercial support of the company, all needs can be met, customising each and every aspect of the project with great flexibility.



# PACKAGING

| lamp            | packaging  |
|-----------------|--|
| FLOOR           |  |
| BIRD FLOOR      | box 1 - 136x7x26 cm - 0.220 m <sup>3</sup> - 3.40 kg   |
| EVITA           | box 1 - 26x25x202 cm - 0.131 m <sup>3</sup> - 12.50 kg<br>box 2 - 40x40x4 cm - 0.006 m <sup>3</sup> - 6.40 kg  |
| E.T.A.          | box 1 - 45x45x202 cm - 0.409 m <sup>3</sup> - 14.40 kg   |
| KUSHI FLOOR     | box 1 - 45x33x140 cm - 0.208 m <sup>3</sup> - 7.60 kg  |
| KUSHI XL FLOOR  | box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg<br>box 2 - 170x20x20 cm - 0.068 m <sup>3</sup> - 3.25 kg<br>box 3 - 47x47x4.5 cm - 0.010 m <sup>3</sup> - 11.20 kg  |
| KYUDO           | box 1 - 46x10x164 cm - 0.075 m <sup>3</sup> - 6.90 kg<br>box 2 - 50x50x6 cm - 0.015 m <sup>3</sup> - 16.50 kg  |
| MODEL T         | box 1 - 18x18x190 cm - 0.062 m <sup>3</sup> - 5.00 kg<br>box 2 - 30x30x85 cm - 0.077 m <sup>3</sup> - 8.30 kg  |
| OPYO FLOOR      | box 1 - 17.5x17.5x23 cm - 0.007 m <sup>3</sup> - 12.00 kg<br>box 2 - 18.5x15x165 cm - 0.046 m <sup>3</sup> - 2.50 kg<br>box 3 - 30x30x36 cm - 0.032 m <sup>3</sup> - 1.60 kg<br>box 4 - 21x21x24 cm - 0.011 m <sup>3</sup> - 1.25 kg |
| POISE FLOOR     | box 1 - 65x65x8 cm - 0.034 m <sup>3</sup> - 5.60 kg  |
| SHAKTI 200      | box 1 - 220x23x23 cm - 0.116 m <sup>3</sup> - 5.50 kg<br>box 2 - 36x32x5.5 cm - 0.006 m <sup>3</sup> - 3.40 kg   |
| SHAKTI 250      | box 1 - 267x26x25 cm - 0.174 m <sup>3</sup> - 6.80 kg<br>box 2 - 40x36x5 cm - 0.007 m <sup>3</sup> - 4.80 kg   |
| TRIPOD FLOOR    | box 1 - 60x60x33 cm - 0.119 m <sup>3</sup> - 3.50 kg<br>box 2 - 18.5x18.5x176 cm - 0.060 m <sup>3</sup> - 4.50 kg  |
| TYLA            | box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 7.00 kg<br>box 2 - 18x18x180 cm - 0.058 m <sup>3</sup> - 10.00 kg   |
| TABLE           |  |
| ATOMIUM         | box 1 - 65x59x52 cm - 0.199 m <sup>3</sup> - 8.00 kg   |
| BIRD TABLE      | box 1 - 20.5x7x51.5 cm - 0.007 m <sup>3</sup> - 1.80 kg  |
| HIVE            | box 1 - 32x32x32 cm - 0.033 m <sup>3</sup> - 2.20 kg<br>box 2 - 32x32x32 cm - 0.033 m <sup>3</sup> - 2.70 kg   |
| KUSHI 16 MOBILE | box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg<br>box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.50 kg   |
| KUSHI 16 TABLE  | box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg<br>box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.40 kg   |
| KUSHI 33 TABLE  | box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg<br>box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 0.85 kg   |
| KUSHI XL TABLE  | box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg<br>box 2 - 25x25x56 cm - 0.035 m <sup>3</sup> - 3.95 kg   |

| lamp               | packaging  |
|--------------------|--|
| LANNÀ TABLE        | box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 2.00 kg<br>box 2 - 44.5x29.5x20 cm - 0.026 m <sup>3</sup> - 2.00 kg   |
| POISE              | box 1 - 69x54x16 cm - 0.060 m <sup>3</sup> - 3.70 kg   |
| TATU               | box 1 - 40x40x40 cm - 0.064 m <sup>3</sup> - 4.00 kg<br>box 2 - 35x35x73 cm - 0.089 m <sup>3</sup> - 2.40 kg   |
| CEILING&SUSPENSION |  |
| ATOMIUM SUSPENSION | box 1 - 69x59x52 cm - 0.199 m <sup>3</sup> - 8.00 kg   |
| BIRD CEILING       | box 1 - 24x8x27 cm - 0.005 m <sup>3</sup> - 1.15 kg<br>box 2 - 4x4x55 cm - 0.001 m <sup>3</sup> - 0.50 kg<br>box 3 - 4x4x115 cm - 0.002 m <sup>3</sup> - 0.70 kg       |
| BOLHA              | box 1 - 46x46x36 cm - 0.076 m <sup>3</sup> - 2.60 kg<br>box 2 - 41x28x15 cm - 0.017 m <sup>3</sup> - 2.00 kg   |
| CLOVER             | box 1 - 80x80x53 cm - 0.339 m <sup>3</sup> - 20.00 kg  |
| DALA               | box 1 - 61x61x18 cm - 0.067 m <sup>3</sup> - 7.70 kg<br>box 2 - 61x27x9 cm - 0.015 m <sup>3</sup> - 1.00 kg  |
| DALA LINEAR        | box 1 - 148x16x9 cm - 0.021 m <sup>3</sup> - 2.60 kg<br>box 2 - 131x11x18 cm - 0.026 m <sup>3</sup> - 3.20 kg<br>box 3 - 133x11x11 cm - 0.016 m <sup>3</sup> - 2.50 kg |
| DEW                | box 1 - 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg   |
| DEW FALSE CEILING  | box 1 - 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg   |
| DEW 3              | box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 6.70 kg   |
| DEW 5              | box 1 - 39x39x10 cm - 0.015 m <sup>3</sup> - 2.50 kg<br>box 2 - n°5 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg   |
| DEW 7              | box 1 - 38.5x38.5x10 cm - 0.015 m <sup>3</sup> - 2.50 kg<br>box 2 - n°7 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg   |
| DEW 9              | box 1 - 60x60x10 cm - 0.036 m <sup>3</sup> - 4.00 kg<br>box 2 - n°9 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg   |
| DEW 15             | box 1 - 60x60x10 cm - 0.036 m <sup>3</sup> - 4.00 kg<br>box 2 - n°15 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg  |
| DEW 19             | box 1 - 60x60x10 cm - 0.036 m <sup>3</sup> - 4.00 kg<br>box 2 - n°19 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg  |
| E.T.A. SAT         | box 1 - 67x76x62 cm - 0.316 m <sup>3</sup> - 8.00 kg   |
| FLOED              | box 1 - 32x32x25 cm - 0.026 m <sup>3</sup> - 2.50 kg<br>box 2 - 89x29x20 cm - 0.052 m <sup>3</sup> - 2.90 kg   |
| FLOED 2            | box 1 - 32x32x25 cm - 0.026 m <sup>3</sup> - 2.50 kg<br>box 2 - 162x34x20 cm - 0.110 m <sup>3</sup> - 5.10 kg  |
| FLOW               | box 1 - 39x43x17 cm - 0.029 m <sup>3</sup> - 2.50 kg   |
| FLOW CEILING       | box 1 - 39x43x17 cm - 0.029 m <sup>3</sup> - 2.70 kg   |
| FLOW LEAF          | box 1 - 43x37.5x8.5 cm - 0.014 m <sup>3</sup> - 1.60 kg  |

| lamp                | packaging   |
|---------------------|---|
| GIASS 25            | box 1 - 30.5x30.5x10 cm - 0.009 m <sup>3</sup> - 2.30 kg<br>box 2 - 31.5x31.5x56 cm - 0.056 m <sup>3</sup> - 6.20 kg  |
| GIASS 30            | box 1 - 34.5x34.5x10 cm - 0.012 m <sup>3</sup> - 3.00 kg<br>box 2 - 36.5x36.5x50 cm - 0.067 m <sup>3</sup> - 6.00 kg  |
| GIASS 40            | box 1 - 44x44x10 cm - 0.019 m <sup>3</sup> - 4.00 kg<br>box 2 - 47x47x42 cm - 0.093 m <sup>3</sup> - 4.50 kg  |
| GIASS 50            | box 1 - 54.5x54.5x10 cm - 0.030 m <sup>3</sup> - 7.00 kg<br>box 2 - 57x57x31 cm - 0.101 m <sup>3</sup> - 7.50 kg  |
| JER                 | box 1 - 13x14x11 cm - 0.002 m <sup>3</sup> - 0.60 kg<br>box 2 - 16x16x60 cm - 0.015 m <sup>3</sup> - 1.80 kg  |
| KATE                | box 1 - 95x95x35 cm - 0.316 m <sup>3</sup> - 17.00 kg   |
| KATE SUSPENSION     | box 1 - 95x95x35 cm - 0.316 m <sup>3</sup> - 17.50 kg   |
| KOOI                | box 1 - 34x34x62 cm - 0.072 m <sup>3</sup> - 6.00 kg  |
| KUSHI 16 CEILING    | box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg<br>box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.50 kg  |
| KUSHI 33 CEILING    | box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg<br>box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 1.00 kg  |
| KUSHI XL CEILING    | box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg<br>box 2 - 22x22x34 cm - 0.016 m <sup>3</sup> - 1.00 kg  |
| KUSHI 16 SUSPENSION | box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg<br>box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.57 kg  |
| KUSHI 33 SUSPENSION | box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg<br>box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 1.00 kg  |
| KUSHI XL SUSPENSION | box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg<br>box 2 - 14.5x14.5x34 cm - 0.007 m <sup>3</sup> - 1.00 kg<br>box 3 - 8x6x24 cm - 0.001 m <sup>3</sup> - 1.40 kg      |
| LANNÀ SUSPENSION    | box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 2.00 kg<br>box 2 - 45x30x20 cm - 0.027 m <sup>3</sup> - 1.82 kg  |
| LILLI               | box 1 - 39x39x32 cm - 0.049 m <sup>3</sup> - 4.00 kg<br>box 2 - 16x16x42 cm - 0.011 m <sup>3</sup> - 1.60 kg  |
| LOUIS 34            | box 1 - 66x66x40 cm - 0.174 m <sup>3</sup> - 5.10 kg<br>box 2 - 27x16x16 cm - 0.007 m <sup>3</sup> - 1.20 kg  |
| LOUIS 41            | box 1 - 66x66x40 cm - 0.174 m <sup>3</sup> - 5.10 kg<br>box 2 - 27x16x16 cm - 0.007 m <sup>3</sup> - 1.30 kg  |
| LOUIS 48            | box 1 - 66x66x40 cm - 0.174 m <sup>3</sup> - 5.10 kg<br>box 2 - 27x16x16 cm - 0.007 m <sup>3</sup> - 1.30 kg  |
| MINIMAL             | box 1 - 9x9x40 cm - 0.003 m <sup>3</sup> - 0.80 kg  |
| MITOS               | box 1 - 11x11x23 cm - 0.003 m <sup>3</sup> - 1.20 kg<br>box 2 - 28x28x17 cm - 0.013 m <sup>3</sup> - 2.30 kg<br>box 3 - 14x14x5 cm - 0.001 m <sup>3</sup> - 0.60 or 1.30 kg |

| lamp               | packaging  |
|--------------------|--|
| MOTUS              | box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 1.60 kg<br>box 2 - 44.5x29.5x20 cm - 0.026 m <sup>3</sup> - 1.90 kg         |
| NAMI               | box 1 - 130x19x30 cm - 0.074 m <sup>3</sup> - 7.50 kg<br>box 2 - 160x17x7 cm - 0.019 m <sup>3</sup> - 12.50 kg           |
| OPYO SUSPENSION    | box 1 - 30x30x36 cm - 0.032 m <sup>3</sup> - 1.60 kg<br>box 2 - 22.5x22.5x5 cm - 0.003 m <sup>3</sup> - 0.80 kg          |
| POISE CEILING      | box 1 - 65x65x8 cm - 0.034 m <sup>3</sup> - 3.40 kg  |
| SLING              | box 1 - 8x8x13 cm - 0.001 m <sup>3</sup> - 0.40 kg<br>box 2 - 22x22x5.5 cm - 0.003 m <sup>3</sup> - 1.30 kg              |
| SPIILLO SUSPENSION | box 1 - 26x26x69 cm - 0.047 m <sup>3</sup> - 2.45 kg   |
| TRIPOD SUSPENSION  | box 1 - 60x60x33 cm - 0.119 m <sup>3</sup> - 5.30 kg   |
| VICEVERSA          | box 1 - 83x33x10 cm - 0.027 m <sup>3</sup> - 3.90 kg<br>box 1 - 29x28x38 cm - 0.031 m <sup>3</sup> - 3.00 kg             |
| VICEVERSA 2        | box 1 - n°2 x 83x33x10 cm - 0.027 m <sup>3</sup> - 3.90 kg<br>box 1 - n°2 x 29x28x38 cm - 0.031 m <sup>3</sup> - 3.00 kg |
| YUMA               | box 1 - 30.5x25.5x15.5 cm - 0.012 m <sup>3</sup> - 1.80 kg   |
| WALL               |  |
| ATOMIUM WALL       | box 1 - 59.5x54.5x30.5 cm - 0.099 m <sup>3</sup> - 5.20 kg   |
| AZOU 3             | box 1 - 24.5x17x16.5 cm - 0.007 m <sup>3</sup> - 1.60 kg<br>box 2 - 38.5x21x11 cm - 0.009 m <sup>3</sup> - 1.35 kg       |
| AZOU 5             | box 1 - 48x16x16 cm - 0.012 m <sup>3</sup> - 2.20 kg<br>box 2 - 38.5x21x11 cm - 0.009 m <sup>3</sup> - 1.80 kg           |
| AZOU 7             | box 1 - 48x16x16 cm - 0.012 m <sup>3</sup> - 2.80 kg<br>box 2 - 38.5x21x11 cm - 0.009 m <sup>3</sup> - 2.20 kg           |
| FRAME              | box 1 - 40.5x36x5 cm - 0.007 m <sup>3</sup> - 1.40 kg  |
| NAMI WALL          | box 1 - 35x24x12.5 cm - 0.011 m <sup>3</sup> - 1.00 kg<br>box 2 - 20x13x10 cm - 0.003 m <sup>3</sup> - 1.10 kg           |
| PASTILLA           | box 1 - 21x19.5x28 cm - 0.011 m <sup>3</sup> - 2.10 kg   |
| PIXEL              | box 1 - 52.5x42.5x15.5 cm - 0.035 m <sup>3</sup> - 2.10 kg   |
| TUA                | box 1 - 22x22x24.5 cm - 0.012 m <sup>3</sup> - 1.30 kg   |

# NOTES



# NOTES

**GRAPHIC PROJECT**

VZNstudio

March 2024

kdln is a registered trademark

Copyright © 2024 Kdln Srl

All Rights Reserved.

Reproduction in whole or in part of texts and images  
without express written permission is prohibited.



Viale L. da Vinci, 277  
20090 Trezzano sul Naviglio, Milano  
T. +39 0236538950 info@kdln.it

Registered office  
Viale F. Crispi, 5/A 20121 Milano  
IT11792050152

kdln.it



