

# **kdl**<sup>i</sup>



**2024 PRICE LIST**



**EN. Light, according to Kdln, is poetry and beauty, functionality and technique, simplicity and character. A universal language, a unique and versatile style, that draws on the past in an interpretation that is original and contemporary. From domestic to contract, each project is consistent with the company's identity. Key values: attention to quality, reliability and concreteness. Together with an out-of-the-box creativity that Kdln shares with established designers as well as with emerging talents.**

**IT. La luce secondo Kdln è poesia e bellezza, funzionalità e tecnica, semplicità e carattere. Un linguaggio universale, uno stile unico e versatile, che attinge al passato in una lettura originale e contemporanea. Dal domestico al contract, ogni progetto è coerente con l'identità dell'azienda. Valori chiave: attenzione alla qualità, affidabilità e concretezza. Insieme a una creatività fuori dagli schemi che Kdln condivide con designer affermati e talenti emergenti.**

**FR. La lumière, selon Kdln est poésie et beauté, fonctionnalité et technique, simplicité et caractère. Un langage universel, un style unique et polyvalent, qui puise dans le passé dans une lecture originale et contemporaine. Du résidentiel au contract, chaque projet est cohérent avec l'identité de l'entreprise. Les valeurs-clés : attention à la qualité, fiabilité et caractère concret. Avec une créativité hors des sentiers battus que Kdln partage avec des designers confirmés et des talents émergents.**

**D. Für Kdln ist Licht Poesie und Schönheit, Funktionalität und Technik, Schlichtheit und Charakter. Eine universelle Sprache, ein einzigartiger und vielseitiger Stil, der sich in einer originellen und zeitgenössischen Interpretation auf die Vergangenheit stützt. Vom Wohnbereich bis hin zum Contract-Bereich steht jedes Projekt im Einklang mit der Identität des Unternehmens. Schlüsselwerte: besonderes Augenmerk auf die Qualität, Zuverlässigkeit und Konkretheit. Gemeinsam mit einer unkonventionellen Kreativität, die Kdln mit etablierten Designern und aufstrebenden Talenten teilt.**

**ES. La luz según Kdln es poesía y belleza, funcionalidad y técnica, simplicidad y carácter. Un lenguaje universal, un estilo único y versátil, que recurre al pasado en una lectura original y contemporánea. Desde el doméstico al contract, cada proyecto es coherente con la identidad de la empresa. Valores clave: atención a la calidad, confiabilidad y concreción. Junto a una creatividad fuera de los esquemas que Kdln comparte con diseñadores establecidos y talentos emergentes.**

## FLOOR

p. 8

### BIRD FLOOR

p. 8

### EVITA

p. 8

### E.T.A.

p. 8

### KUSHI FLOOR

p. 9

### KUSHI XL FLOOR

p. 9

### KYUDO

p. 9

### MODEL T

p. 10

### OPYO FLOOR

p. 10

### POISE FLOOR

p. 10

### SHAKTI

p. 11

### TRIPOD FLOOR

p. 11

### TYLA

p. 11

## TABLE

p. 12

### ATOMIUM

p. 12

### BIRD TABLE

p. 12

### HIVE

p. 12

### KUSHI MOBILE

p. 13

### KUSHI TABLE

p. 13

### KUSHI XL TABLE

p. 14

### LANNÀ TABLE

p. 14

### POISE

p. 15

### TATU

p. 15

## CEILING & SUSPENSION

p. 16

### ATOMIUM SUSPENSION

p. 16

### BIRD CEILING

p. 16

### BOLHA

p. 17

### CLOVER

p. 17

### DALA

p. 18

### DALA LINEAR

p. 19

### DEW

p. 20

### DEW 3

p. 20

### DEW CHANDELIER

p. 21-22

### E.T.A. SAT

p. 22

### FLOED

p. 23

### FLOED 2

p. 23

### FLOW

p. 23

### FLOW CEILING

p. 24

### GIASS

p. 24

### JER

p. 25

### KATE

p. 25

### KATE SUSPENSION

p. 26

### KOOI

p. 26

### KUSHI CEILING

p. 27

### KUSHI SUSPENSION

p. 28

### LANNÀ SUSPENSION

p. 29

### LILLI

p. 29

### LOUIS

p. 29

### MINIMAL

p. 30

### MITOS

p. 30

### MOTUS

p. 31

### NAMI

p. 31

### OPYO SUSPENSION

p. 31

### POISE CEILING

p. 32

### SLING

p. 32

### SPILLO SUSPENSION

p. 33

### TRIPOD SUSPENSION

p. 33

### VICEVERSA

p. 34

### YUMA

p. 34

# WALL

p. 35

## ATOMIUM WALL

p. 35

## AZOU 3

p. 35

## AZOU 5

p. 36

## AZOU 7

p. 37

## FRAME

p. 37

## NAMI WALL

p. 38

## PASTILLA

p. 38

## PIXEL

p. 38

## TUA

p. 39

# ACCESSORIES

p. 40

# SPECIAL CANOPIES

p. 41

# PACKAGING

p. 42-45

# FAMILY COLLECTION

ATOMIUM p. 12  
ATOMIUM SUSPENSION p. 16  
ATOMIUM WALL p. 35

BIRD FLOOR p. 8  
BIRD TABLE p. 12  
BIRD CEILING p. 16

DALA p. 18  
DALA LINEAR p. 19

DEW p. 20  
DEW 3 p. 20  
DEW CHANDELIER p. 21-22

E.T.A. p. 8  
E.T.A. SAT p. 22

FLOW p. 23  
FLOW CEILING p. 24

KATE p. 25  
KATE SUSPENSION p. 26

KUSHI FLOOR p. 9  
KUSHI XL FLOOR p. 9  
KUSHI 16 MOBILE p. 13  
KUSHI 16 TABLE p. 13  
KUSHI 33 TABLE p. 13  
KUSHI XL TABLE p. 14  
KUSHI 33 CEILING p. 27  
KUSHI XL CEILING p. 27  
KUSHI 16 SUSPENSION p. 28  
KUSHI 33 SUSPENSION p. 28  
KUSHI XL SUSPENSION p. 28

LANNÀ TABLE p. 14  
LANNÀ SUSPENSION p. 29

NAMI p. 31  
NAMI WALL p. 38

OPYO FLOOR p. 10  
OPYO SUSPENSION p. 31

POISE FLOOR p. 10  
POISE p. 15  
POISE CEILING p. 32

TRIPOD FLOOR p. 11  
TRIPOD SUSPENSION p. 33

# TECHNICAL INFO

## GLOSSARY

bulbs . lampadine . ampoules . Leuchtmittel . bombillas  
cable length . lunghezza cavo . longueur de câble . Kabellänge . longitud del cable  
canopy . rosone . rosace . Baldachin . plafón  
certifications . certificazioni . certifications . Zertifizierungen . certificaciones  
colours . colori . couleurs . Farben . colores  
code . codice . code . Artikelnummer . código  
description . descrizione . description . Beschreibung . descripción  
dimensions . dimensioni . dimensions . Größe . dimensiones  
dimnable . dimmerabile . dimmable . dimmbar . regulable  
dimmer . dimmer . variateur . Dimmer . dimmer  
feeding . alimentazione . alimentation . Spannung . tensión de red  
finish . finitura . finitions . Oberflächen . acabados  
materials . materiali . matériaux . Materialien . materiales  
packaging . imballo . emballage . Verpackung . embalaje  
price vat excl. . prezzo iva esc. . prix ht . Preis ohne MwSt . precio iva excluida

## LIGHT DIRECTION



Direct and indirect lighting  
Luce diretta e indiretta  
Lumière directe et indirecte  
Direktes und indirektes Licht  
Luz directa y indirecta



Indirect lighting  
Luce indiretta  
Lumière indirecte  
Indirektes Licht  
Luz indirecta



Direct lighting  
Luce diretta  
Lumière directe  
Direktes Licht  
Luz directa



Indirect and spot lighting  
Luce indiretta e spot  
Lumière indirecte et spot  
Indirektes und fokussiertes Licht  
Luz indirecta y puntual



Direct and spot lighting  
Luce diretta e spot  
Lumière directe et spot  
Direktes und fokussiertes Licht  
Luz directa y puntual



Diffused lighting  
Luce diffusa  
Lumière diffuse  
Verbreitetes Licht  
Luz difusa



amber  
 ambr  
 ambre  
 Bernstein  
 ámbar



black  
 nero  
 noir  
 Schwarz  
 negro



black marble  
 marmo nero  
 marbre noir  
 schwarz Marmor  
 mármol negro



black nickel  
 nichel nero  
 nickel noir  
 schwarzes Nickel  
 níquel negro



black tin  
 stagno nero  
 étain noir  
 schwarzem Zinn  
 estaño negro



brass  
 ottone  
 laiton  
 Messing  
 latón



bronze  
 bronzo  
 bronze  
 Bronze  
 bronce



chrome  
 cromo  
 chrome  
 Chrom  
 cromado



copper  
 rame  
 cuivre  
 Kupfer  
 cobre



coral  
 corallo  
 corail  
 Koralle  
 coral



dark blue  
 blu scuro  
 bleu foncé  
 dunkel Blau  
 azul oscuro



dark grey + concrete finish  
 grigio scuro + finitura cemento  
 gris foncé + finition ciment  
 dunkel Grau + Zementoberfläche  
 gris oscuro + acabado de cemento



dark grey + copper  
 grigio scuro + rame  
 gris foncé + cuivre  
 dunkel Grau + Kupfer  
 gris oscuro + cobre



dark grey + wood finish  
 grigio scuro + finitura legno  
 gris foncé + finition bois  
 dunkel Grau + Holzoberfläche  
 gris oscuro + acabado de madera



dove-grey  
 grigio tortora  
 gris tourterelle  
 Taubengrau  
 gris paloma



ecrù  
 ecru  
 écru  
 Ecru  
 ecru



gold leaf  
 foglia oro  
 feuille d'or  
 Gold Blatt  
 hoja de oro



green onyx  
 onice verde  
 onyx vert  
 grüner Onyx  
 ónix verde



inox  
 inox  
 inox  
 Inox  
 inox



moka  
 moka  
 moka  
 Mokka  
 moka



orange  
 arancione  
 orange  
 Orange  
 naranja



pop  
 pop  
 pop  
 Pop  
 pop



red  
 rosso  
 rouge  
 Rot  
 rojo



sand + copper  
 sabbia + rame  
 sable + cuivre  
 Sand + Kupfer  
 arena + cobre



sand + concrete finish  
 sabbia + finitura cemento  
 sable + finition ciment  
 Sand + Zementoberfläche  
 arena + acabado de cemento



sand + wood finish  
 sabbia + finitura legno  
 sable + finition bois  
 Sand + Holzoberfläche  
 arena + acabado de madera



smokey blue  
 blu fumè  
 bleu fumé  
 rauch Blau  
 azul ahumado



smokey brown  
 marrone fumè  
 marron foncé  
 rauch Braun  
 marrón ahumado



smokey green  
 verde fumè  
 vert fumé  
 rauch Grün  
 verde ahumado



smokey grey  
 grigio fumè  
 gris fumé  
 Rauchgrau  
 gris ahumado



warm white  
 bianco caldo  
 blanc chaud  
 Warmweiß  
 blanco roto



white  
 bianco  
 blanc  
 Weiß  
 blanco



white marble  
 marmo bianco  
 marbre blanc  
 weiss Marmor  
 mármol blanco

## CODES

<sup>EN</sup> The codes in this price list are referred to devices with voltage feeding 220-240 V and are produced according to the standards in compliance with **CE** directives. Where the abbreviation / GB is mentioned it states the possibility to order devices with plug adaptor suitable for the UK market (type G, standard IEC). The devices without plug do not require any different fitting from **CE** standard for being used in the UK market.

<sup>FR</sup> I codici riportati in questo listino si riferiscono ad apparecchi funzionanti con tensioni di alimentazione a 220- 240 V realizzati secondo gli standard in conformità alle direttive comunitarie **CE**.

Ove presente la sigla / GB si indica la possibilità di ordinare apparecchi dotati di spine adatte per il mercato UK (tipo G, standard IEC). Gli apparecchi non dotati di spina non richiedono allestimenti diversi dagli standard **CE** per essere utilizzati nel mercato UK.

<sup>FR</sup> Les codes dans ce tarif font référence aux luminaires à tension 220-240 V uniquement, qui sont fabriqués en conformité des normes **CE**.

Le paragraphe / GB signale la possibilité de commander des lampes sur pied avec des fiches appropriées pour le marché britannique (type G, standard IEC). Les appareils sans fiches sont utilisables en Grande Bretagne sans modifications par rapport aux standards **CE**.

<sup>DE</sup> Die in dieser Preisliste aufgeführten Artikelnummer beziehen sich auf Geräte mit der Versorgungsspannung von 220-240 V, die unter der Einhaltung des **CE** Standards hergestellt wurden.

Die Abkürzung / GB ermöglicht die Bestellung der Geräte mit den Steckern, die für den britischen Markt (Typ G, Standard IEC) bestimmt sind. Geräte ohne Stecker erfordern für den britischen Markt keine besondere Ausrüstung, die unterschiedlich vom **CE** Standard ist.

<sup>ES</sup> Los códigos que aparecen en esta tarifa, se refieren a aparatos que funcionan con tensión de alimentación a 220-240 V realizados según los standards con conformidad a las directivas comunitarias de la **CE**.

Donde esté presente las siglas / GB se indica la posibilidad de pedir aparatos dotados de enchufe adaptado para el mercado UK (tipo G, standard IEC). Los aparatos que no están dotados con enchufe no necesitan complementos diversos a los estándares **CE** para ser utilizados en el mercado UK.

## NOTES

<sup>EN</sup> Goods delivery have to be considered Ex Factory.

Goods are carefully and accurately packaged, Kdln S.r.l. declines all responsibilities for any damage caused by the transport.

All merchandise is shipped at the dealer's risk, even if free of carriage.

Any claim related to apparent and occult defects has to be communicated to Kdln by mail or fax within 8 days from the date of receipt of the goods.

Kdln reserves the right to alter any of the above conditions, at its own discretion and without notice.

Suspension lamps are supplied with 180 cm (70.9 in) long cables. Different lengths can be produced on demand. The company reserves the right to change the design of the canopies and the cable length without notice.

The dimmability of suspension and wall lamps with E27 (E26) and E14 (E12) bulb sockets depends on the dimmability of the chosen light source.

Product colors can differ from what is shown in the catalogue and from batch to batch.

The listed light emission in Lumen is nominal.

For any disputes the involved Forum is Milan (Italy).

<sup>FR</sup> La merce si intende franco fabbrica.

La merce è attentamente e accuratamente imballata, Kdln S.r.l. declina ogni responsabilità per danni causati dal trasporto.

La merce viaggia a rischio e pericolo del committente, anche se spedita in porto franco.

Reclami per difetti apparenti ed occulti devono essere comunicati via mail o fax entro 8 giorni dal ricevimento della merce.

Kdln si riserva il diritto di modificare qualsiasi delle suddette condizioni, a propria discrezione e senza alcun preavviso.

Le lampade a sospensione sono dotate di cavi lunghi 180 cm (70.9 in).

Eventuali misure diverse possono essere prodotte su richiesta. La società si riserva comunque il diritto di variare il disegno dei rosoni e la lunghezza dei cavi senza alcun preavviso.

La dimmerabilità delle lampade a sospensione e delle lampade da parete con attacco E27 (E26) e E14 (E12) dipende dalla dimmerabilità della sorgente luminosa scelta.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

I lumen indicati sono da considerarsi nominali.

Per qualsiasi controversia sarà competente il Foro di Milano, Italia.

<sup>FR</sup> La marchandise est livrée à la condition 'départ usine'.

Toutes les marchandises voyagent aux risques et périls du revendeur, même si elles sont rendues franco de port.

Les réclamations pour défauts apparents et occultes doivent être notifiés par mail ou fax dans les 8 jours suivant la réception de la marchandise.

Kdln se réserve le droit de modifier n'importe laquelle des clauses précédentes sans préavis, en fonction de ses exigences.

Les lampes à suspension sont équipées de câbles d'une longueur de 180 cm (70.9 in). D'éventuelles autres mesures peuvent être produites sur demande. La société se réserve toutefois le droit de modifier le dessin des rosaces et la longueur des câbles sans aucun préavis.

La variation de lumière des suspensions et appliques E27 (E26) et E14 (E12) dépend de la source lumineuse choisie.

Les couleurs des produits peuvent varier par rapport à ce qui est présenté dans le catalogue ainsi que de lot à lot.

Les lumens indiqués s'entendent nominaux.

Le Tribunal de Milan (Italie) sera le seul compétent pour toutes contestations.



► Die Ware wird ab Werk verkauft.

Die Ware wird sorgfältig und gründlich verpackt. Kdln S.r.l. lehnt jegliche Haftung für Transportschäden ab.

Sämtliche Waren werden auf Risiko und Gefahr des Einzelhändlers transportiert, auch im Falle von Verschickung frei Bestimmungsort.

Jegliche Reklamationen der Waren müssen innerhalb von 8 Tagen nach Erhalt der Lieferung per Post oder Fax mitgeteilt werden.

Kdln behält sich das Recht vor, alle oben genannten Bedingungen nach eigenem Ermessen und ohne vorherige Ankündigung zu ändern. Die Hängelampen verfügen über 180 cm (70.9 in). lange Kabel.

Andere Längen können auf Anfrage hergestellt werden. Das Unternehmen behält sich in jedem Falle das Recht vor, das Design der Rosetten und die Länge der Kabel ohne Vorankündigung zu ändern.

Die Dimmbarkeit der Pendel- und Wandleuchten mit den E27-Fassungen (E26) und E14-Fassungen (E12) ist von der Dimmbarkeit der gewählten Lichtquelle abhängig.

Die Farben der Produkte können sich von den Abbildungen im Katalog unterscheiden und von einem Fertigungslos zum anderen variieren.

Die angegebenen Lumen sind Nominalwerte.

Der zuständige Gerichtshof ist Mailand (Italien).

ES. La mercancía se entiende a portes debidos.

La mercancía está atentamente y cuidadosamente embalada, Kdln srl declina cualquier responsabilidad por los daños causados por el transporte.

Todas las mercancías viajan a riesgo del comerciante aunque se hayan franqueado por el destinatario.

Las reclamaciones por defectos aparentes y ocultos tienen que ser comunicados por mail o por fax dentro de 8 días del recibo de la mercancías.

Kdln se reserva el derecho de modificar cualquiera de las cláusulas precedentes sin aviso previo en caso de necesidades, decisiones o exigencias propias.

Las lámparas de suspensión cuentan con cables de 180 cm (70.9 in).

Bajo petición, se pueden producir diversas medidas.

De todas formas, la sociedad se reserva el derecho de cambiar el diseño de los florones y la longitud de los cables sin previo aviso.

La dimabilidad de las lámparas a suspensión y de las lámparas a pared con enchufe E27 (E26) y E14 (E12) depende de la dimabilidad de la fuente de luz elegida.

Los lúmenes indicados son nominales.

Los colores de los productos pueden variar respecto a lo que se muestra en el catálogo y de un lote a otro. Para toda pendencia el Forum implicado es Milán (Italia).

## MARKING

®

It certifies the conformity of the product to the North American market directives.

Attesta la conformità del prodotto alle disposizioni del mercato nordamericano.

Il atteste la conformité du produit aux directives du marché nord-américain.

Das Zeichen bescheinigt, dass das Produkt den Vorschriften des nordamerikanischen Marktes entspricht.

Certifica la conformidad del producto con las disposiciones del mercado norteamericano. Marca de conformidad U.S.A. y Canada.




# BIRD FLOOR

Jordi Pla / 2024

code	colour	PRICE vat excl.
514439NUS	● black RAL9005	850 \$
514439BUS	● white RAL9010	
514439RUS	● brick red	

feeding	dimmer	materials	light direction
120 V	yes	metal	
<b>light source</b> included			
board LED 1x6 W 2700 K - 660 lm - CRI>90			




# EVITA

AquiliAlberg / 2011

code	colour	PRICE vat excl.
K155060BUS	● warm white RAL1013	4050 \$
K155060NUS	● black RAL9005	
K155060TUS	● dove-grey RAL7006	
K155060RUS	● red RAL3003	

feeding	dimmer	materials	light direction
120 V	yes	metal + technopolymers	
<b>light source</b> included			
2x54 W - T5 fluorescent or compatible LED light source			




# E.T.A.

Guglielmo Berchicci / 1997

code	colour	PRICE vat excl.
0171596BIUS	● white	3600 \$
0171596ARUS	● orange	

feeding	dimmer	materials	light direction
120 V	yes	fiberglass + metal	
<b>light source</b> not included			
3x40 W max - E12 + 1x100 W max - E26			






# KUSHI FLOOR

Alberto Saggia & Valerio Sommella / 2016

code	colour	PRICE vat excl.
K2281059N	● black RAL9005	2750 \$
K2281059O	● brass	
K2281059R	● copper	

feeding	dimmer	materials
120 V	yes	glass + metal
light source included		light direction
board LED 3x4.6W 2700 K - 1900 lm - CRI>90		




# KUSHI XL FLOOR

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K219105NUS	● black RAL9005	3050 \$
K219105OUS	● brass	
K219105RUS	● copper	

feeding	dimmer	certifications	materials
120 V	yes	Ⓢ USA	glass + metal
light source not included			light direction
1x7 W max - E26 - Ø 2.4in max			




# KYUDO

Hansandfranz / 2009

code	colour	PRICE vat excl.
K048133BIUS	● white RAL9016	4150 \$
K048133NEUS	● black RAL9005	
K048133ARUS	● orange RAL2007	

feeding	dimmer	materials
120 V	yes	aluminium
light source included		light direction
strip LED 1x36 W 2700 K - 4515 lm - CRI>90		






# MODEL T

Francesca Smiraglia / 2023

code	colour	PRICE vat excl.
K511435NUS	● black RAL9005	2350 \$
K511435POPUS	● pop	
K511435INOXUS	● inox	2990 \$

feeding	dimmer	materials
120 V	yes	metal + plexiglass

light source included	light direction
board LED 1x65W 2700 K - 6600 lm - CRI>90	



# OPYO FLOOR

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K350355BUS	● white RAL9010	2190 \$
K350355CUS	● coral RAL3012	
K350355OUS	● brass	

feeding	dimmer	materials
120 V	yes	glass + metal

light source not included	light direction
1x70 W max - E26	




# POISE FLOOR

Robert Dabi / 2022

code	colour	PRICE vat excl.
505425NUS	● black RAL9005	1150 \$

feeding	dimmer	materials
120 V	yes	metal



light source included	light direction
strip LED 1x28 W 2700 K - 3600 lm - CRI>90	





# SHAKTI


Marzio Rusconi Clerici / 2001


code	colour	PRICE vat excl.
KSA110BIUS	 white + satin base	1870 \$
KCR110BIUS	 white + polished base	1990 \$

feeding	dimmer	materials
120 V	yes	plexiglass + metal




  

light source	light direction
not included 2x100 W max - E26	



# TRIPOD FLOOR


Christophe Pillet / 2002


code	colour	PRICE vat excl.
K947BIUS	 white	2640 \$
K947BEUS	 ecru	
K947MOUS	 moka	

feeding	dimmer	materials
120 V	yes	metal + fabric




  

light source	light direction
not included 3x70 W max - E26	




# TYLA


Marc Sadler / 2021


code	colour	PRICE vat excl.
K501418BUS	 white RAL9010	2240 \$
K501418BLUUS	 dark blue RAL5004	
K501418ROUS	 red RAL3004	

feeding	dimmer	certifications	materials
20 V	yes	 CANADA + USA	glass + metal

light source	light direction
not included 1x70W max - E26	





# ATOMIUM

Hopf&Wortmann - Büro Für Form / 2006


code	colour	PRICE vat excl.
011890BIUS	white	1550 \$

feeding	dimmer	materials
120 V	no	polyethylene

light source	light direction
not included 6x40 W max - E12	



# BIRD TABLE

Jordi Pla / 2024


code	colour	PRICE vat excl.
514438NUS	black RAL9005	630 \$
514438BUS	white RAL9010	
514438RUS	brick red	

feeding	dimmer	materials
120 V	yes	metal

light source	light direction
included board LED 1x6 W max 2700 K - 660 lm - CRI>90	



# HIVE

Ini Archibong / 2017


code	colour	PRICE vat excl.
K390325BUS	white	1320 \$
K390325NUS	black	
K390325RUS	red	

feeding	dimmer	certifications	materials
120 V	no	USA	glass + ceramic

light source	light direction
not included 1x7 W max - E26	





## KUSHI 16 MOBILE

Alberto Saggia & Valerio Sommella / 2016


code	colour	PRICE vat excl.
K2291059N	● black RAL9005	810 \$
K2291059O	● brass	
K2291059R	● copper	

feeding	dimmer	materials
rechargeable battery 5 V min 500 mA	no	glass + metal

light source included	battery life	light direction
board LED 1x1.3W 2700 K - 150 lm - CRI>90	5h 30min	



## KUSHI 16 TABLE

Alberto Saggia & Valerio Sommella / 2015


code	colour	PRICE vat excl.
K227105NUS	● black RAL9005	640 \$
K227105OUS	● brass	
K227105RUS	● copper	

feeding	dimmer	materials
120 V	no	glass + metal

light source not included	light direction
1x25 W max - G9	



## KUSHI 33 TABLE

Alberto Saggia & Valerio Sommella / 2015


code	colour	PRICE vat excl.
K222105NUS	● black RAL9005	1200 \$
K222105OUS	● brass	
K222105RUS	● copper	

feeding	dimmer	certifications	materials
120 V	yes	Ⓢ USA	glass + metal

light source not included	light direction
1x7 W max - E26	






# KUSHI XL TABLE

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K223105NUS	● black RAL9005	1630 \$
K223105OUS	● brass	
K223105RUS	● copper	

feeding	dimmer	certifications	materials
120 V	yes	Ⓜ USA	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x7 W max - E26			




# LANNÀ TABLE

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.
K385320NUS	● black RAL9005	1250 \$
K385320US	● brass	

feeding	dimmer	certifications	materials
120 V	no	Ⓜ USA	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x7 W max - E26 Ø 2.4 in max			







# POISE


Robert Dabi / 2021

code	colour	PRICE vat excl.
505424NUS	● black RAL9005	710 \$

feeding	dimmer	materials
120 V	yes	metal

light source included	light direction
strip LED 1x17.5 W 2700 K - 1050 lm - CRI>90	

**movement options**




# TATU

MrSmith Studio / 2019

code	colour	PRICE vat excl.
K360375NUS	● black RAL9005	1870 \$
K360375OUS	● brass	

feeding	dimmer	materials
120 V	yes	glass + metal

light source not included	light direction
1x105 W max - E26	






# ATOMIUM SUSPENSION

Hopf&Wortmann - Büro Für Form / 2006


code	colour	PRICE vat excl.
011892BIUS	white	1450 \$
feeding	dimnable	materials
120 V	yes	polyethylene
light source not included	canopy	light direction
6x40 W max - E12	white	



# BIRD CEILING

Jordi Pla / 2024

code	colour	PRICE vat excl.
514440NUS	black RAL9005 - 2 tiges included	460 \$
514440BUS	white RAL9010 - 2 tiges included	
514440RUS	brick red - 2 tiges included	
514-AC1N	black RAL9005 - tige 19.8 in	65 \$
514-AC1B	white RAL9010 - tige 519.8 in	
514-AC1R	brick red - tige 19.8 in	
514-AC2N	black RAL9005 - tige 43.5 in	95 \$
514-AC2B	white RAL9010 - tige 43.5 in	
514-AC2R	brick red - tige 43.5 in	
feeding	dimnable	materials
120 V	phase cut	metal
light source included	light direction	
board LED 1x6 W max 2700 K - 660 lm - CRI>90		








# BOLHA

Valerio Sommella & Anonima Luci / 2021

code	colour	PRICE vat excl.
K502419AUS	 <b>amber</b>	<b>3480 \$</b>


feeding	dimmable	materials
120 V	1-10 V	glass + aluminium

light source included	canopy	light direction
board LED 1x15W 2700 K - 1557 lm - CRI>90	brown	






# CLOVER

Brodie Neill / 2011

code	colour	PRICE vat excl.
140049LEDUS	 <b>white RAL9016</b>	<b>4300 \$</b>

feeding	dimmable	materials
120 V	1-10V or Push	polyurethane + aluminium

light source included	canopy	light direction
board LED 1x18 W 2700 K - 1650 lm - CRI>90	white	





# DALA

Francesca Smiraglia / 2021


code	colour	PRICE vat excl.
<b>DALA 2700 K</b>		
K503420GLUS	dark grey + wood finish	2280 \$
K503420SLUS	sand + wood finish	
K503420GCUS	dark grey + concrete finish	
K503420SCUS	sand + concrete finish	
K503420GRUS	dark grey + copper	
K503420SRUS	sand + copper	
K503420BBUS	white	1990 \$
<b>DALA 3000 K</b>		
K503420GL30US	dark grey + wood finish	2280 \$
K503420SL30US	sand + wood finish	
K503420GC30US	dark grey + concrete finish	
K503420SC30US	sand + concrete finish	
K503420GR30US	dark grey + copper	
K503420SR30US	sand + copper	
K503420BB30US	white	1990 \$

feeding	dimmable	certifications	materials
120 V	phase cut	CANADA + USA	metal + polyethylene

### light source included

DALA 2700 K:  
board LED 1x42W - 2700 K - 4200 lm - CRI>90  
DALA 3000 K:  
board LED 1x42W - 3000 K - 4350 lm - CRI>90

### light direction





# DALA LINEAR



Francesca Smiraglia / 2022

code	colour	PRICE vat excl.
<b>DALA LINEAR 2700 K</b>		
K503427GLUS	dark grey + wood finish	2280 \$
K503427SLUS	sand + wood finish	
K503427GCUS	dark grey + concrete finish	
K503427SCUS	sand + concrete finish	
K503427GRUS	dark grey + copper	
K503427SRUS	sand + copper	

<b>DALA LINEAR 3000 K</b>		
K503427GL30US	dark grey + wood finish	2280 \$
K503427SL30US	sand + wood finish	
K503427GC30US	dark grey + concrete finish	
K503427SC30US	sand + concrete finish	
K503427GR30US	dark grey + copper	
K503427SR30US	sand + copper	

feeding	dimnable	certifications	materials
120 V	phase cut	Ⓢ CANADA + USA	metal

light source included	canopy	light direction
DALA LINEAR 2700 K: board LED 1x43 W 2700 K - 5150 lm - CRI>90	dark grey or sand	
DALA LINEAR 3000 K: board LED 1x43 W 3000 K - 5300 lm - CRI>90		





# DEW

Emmanuel Babled / 2009



code	colour	PRICE vat excl.
0451291US	● chrome	880 \$
0451291NUS	● black RAL9005	940 \$
0451291OUS	● brass	

feeding	dimmable	certifications	materials
120 V	phase cut	Ⓜ CANADA + USA	glass + metal

### special requests

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs.

light source included	canopy + cable length	light direction
board LED 1x5 W 2700 K - 440 lm - CRI>90	chromed or black or brass cable length 98.4 in	





# DEW 3

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
0451293US	● chrome	2590 \$
0451293NUS	● black RAL9005	2790 \$
0451293OUS	● brass	

feeding	dimmable	certifications	materials
120 V	phase cut	Ⓜ CANADA + USA	glass + metal

light source included	canopy + cable length	light direction
board LED 3x5 W 2700 K - 1320 lm - CRI>90	chromed or black or brass cable length 98.4 in	






## DEW 5

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
0451295US	chrome	5090 \$
0451295US-N	black RAL9005	5590 \$
0451295US-O	brass	


feeding	dimmable	certifications	materials
120 V	phase cut	CANADA + USA	glass + metal

light source included	canopy + cable length	light direction
board LED 5x5 W 2700 K - 2200 lm - CRI>90	mirrored or black or brass finish cable length 177.2 in	



ø 9.8 in

DEW x5



ø 4.3 in




## DEW 7

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
0451297US	chrome	7190 \$
0451297US-N	black RAL9005	7510 \$
0451297US-O	brass	


feeding	dimmable	certifications	materials
120 V	phase cut	CANADA + USA	glass + metal

light source included	canopy + cable length	light direction
board LED 7x5 W 2700 K - 3080 lm - CRI>90	mirrored or black or brass finish cable length 177.2 in	



ø 9.8 in

DEW x7



ø 4.3 in




## DEW 9

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
0451299US	chrome	9900 \$
0451299US-N	black RAL9005	10990 \$
0451299US-O	brass	


feeding	dimmable	certifications	materials
120 V	phase cut	CANADA + USA	glass + metal

light source included	canopy + cable length	light direction
board LED 9x5 W 2700 K - 3960 lm - CRI>90	mirrored or black or brass finish cable length 177.2 in	



ø 19.5 in

DEW x9



ø 4.3 in




# DEW 15

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
04512915US	chrome	15590 \$
04512915US-N	black RAL9005	17990 \$
04512915US-O	brass	

feeding	dimmable	certifications	materials
120 V	phase cut	CANADA + USA	glass + metal
light source included		canopy + cable length	light direction
board LED 15x5 W 2700 K - 6600 lm - CRI>90		mirrored or black or brass finish cable length 177.2 in	



ø 19.5 in

DEW x 15



ø 4.3 in




# DEW 19

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
04512919US	chrome	18990 \$
04512919US-N	black RAL9005	21990 \$
04512919US-O	brass	

feeding	dimmable	certifications	materials
120 V	phase cut	CANADA + USA	glass + metal
light source included		canopy + cable length	light direction
board LED 19x5 W 2700 K - 8360 lm - CRI>90		mirrored or black or brass finish cable length 177.2 in	



ø 19.5 in

DEW x 19



ø 4.3 in



# E.T.A. SAT

Guglielmo Berchicci / 1997

code	colour	PRICE vat excl.
017106BIUS	white	2850 \$
017106ARUS	orange	

feeding	dimmable	materials	
120 V	yes	fiberglass + polycarbonate + metal	
light source not included		canopy	light direction
1x40 W max - E12+ 1x100 W max - E26		white	



ø 4.7 in

1.8 in



31.5 in

21.3 in






# FLOED

StorageMilano / 2020

code	colour	PRICE vat excl.
K375416BRUS	● bronze	1990 \$

feeding	dimmable	certifications	materials
120 V	yes	Ⓜ CANADA + USA	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x70 W max - E26 - L 4.1in max			




# FLOED 2

StorageMilano / 2020

code	colour	PRICE vat excl.
K375417BRUS	● bronze	3390 \$

feeding	dimmable	certifications	materials
120 V	yes	Ⓜ CANADA + USA	glass + metal
<b>light source</b> not included			<b>light direction</b>
2x70 W max - E26 - L 4.1in max			






# FLOW

Chris Basias / 2022

code	colour	PRICE vat excl.
506428N	● black RAL9005	590 \$
500500N	● black RAL9005 - canopy	160 \$
500501N	● black RAL9005 - false ceiling canopy	100 \$
500517N	● black RAL9005 - multiple canopy max 8 lamps	550 \$
<b>LEAF</b>		
506430N	● black RAL9005 - accessory	310 \$

feeding	dimmable	materials
120 V	yes	glass + metal
<b>light source</b> not included		<b>light direction</b>
1x25W max - G9		







# FLOW CEILING

Chris Basias / 2022





code	colour	PRICE vat excl.
506429N	● black RAL9005	610 \$
<b>LEAF</b>		
506430N	● black RAL9005 - accessory	310 \$
<b>feeding</b>	<b>dimmable</b>	<b>materials</b>
120 V	yes	glass + metal
<b>light source</b> not included	<b>light direction</b>	
1x25W max - G9		



# GIASS

Sebastian Herkner / 2017

code	colour	PRICE vat excl.
<b>GIASS 25</b>		
K395330SUS	● white	3550 \$
K395330GUS	● smokey grey	
<b>GIASS 30</b>		
K396330SUS	● white	3990 \$
K396330GUS	● smokey grey	
<b>GIASS 40</b>		
K397330SUS	● white	4350 \$
K397330GUS	● smokey grey	
<b>GIASS 50</b>		
K398330SUS	● white	5150 \$
K398330GUS	● smokey grey	
<b>feeding</b>	<b>dimmable</b>	<b>materials</b>
120 V	0-10V	glass + metal
<b>multiple composition</b>		
Giass can be installed in multiple compositions fed by one single light point		
<b>light source</b> included	<b>light direction</b>	
GIASS 25: board LED 1x21.5W - 2700 K - 1700 lm - CRI>90		
GIASS 30: board LED 1x27.5W - 2700 K - 2250 lm - CRI>90		
GIASS 40: board LED 1x35W - 2700 K - 3100 lm - CRI>90		
GIASS 50: board LED 1x44W - 2700 K - 3950 lm - CRI>90		





# JER

Valerio Sommella & Anonima Luci / 2021


code	colour	PRICE vat excl.
K504421FBUS	smokey blue	1400 \$
K504421FMUS	smokey brown	
K504421FVUS	smokey green	

feeding	dimnable	materials
120 V	phase cut	glass + metal

light source included	canopy	light direction
board LED 1x6W 2700 K - 495 lm - CRI>80	black	



# KATE

Francesca Smiraglia / 2023


code	colour	PRICE vat excl.
KATE 2700K		
K510434B27US	white	2150 \$
510434-60227US	gold leaf	4350 \$
510434-XXX27US	colours on request	2650 \$
KATE 3000K		
K510434B30US	white	2150 \$
510434-60230US	gold leaf	4350 \$
510434-XXX30US	colours on request	2650 \$

feeding	dimnable	certifications	materials
120 V	phase cut		metal + polyethylene

light source included	light direction
KATE 2700 K: board LED 1x65W - 2700 K - 6856 lm - CRI>90	
KATE 3000 K: board LED 1x65W - 3000 K - 6956 lm - CRI>90	






# KATE SUSPENSION

Francesca Smiraglia / 2024

code	colour	PRICE vat excl.
KATE SUSPENSION 2700K		
K510437B27US	● white	2550 \$
510437-60227US	● gold leaf	4700 \$
510437-XXX27US	● colours on request	2950 \$
KATE SUSPENSION 3000K		
K510437B30US	● white	2550 \$
510437-60230US	● gold leaf	4700 \$
510437-XXX30US	● colours on request	2950 \$


feeding	dimnable	certifications	materials
120 V	phase cut		metal + polyethylene
light source included	canopy	light direction	
KATE SUSPENSION 2700 K: board LED 1x65W 2700 K - 6856 lm - CRI>90 KATE SUSPENSION 3000 K: board LED 1x65W 3000 K - 6956 lm - CRI>90	white or gold leaf or colours on request		



# KOOI

Studio Shuu / 2023

code	colour	PRICE vat excl.
509433NUS	● black RAL9005	1490 \$
feeding	dimnable	materials
120 V	phase cut	glass + metal
light source included	canopy	light direction
board LED 1x26W 2700 K - 2179 lm - CRI>90	black	






## KUSHI 33 CEILING

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K220105NUS	● black RAL9005	1020 \$
K220105OUS	● brass	
K220105RUS	● copper	

feeding	dimmable	certifications	materials
120 V	yes		glass + metal

light source not included	light direction
1x30 W max - E26	




## KUSHI XL CEILING

Alberto Saggia & Valerio Sommella / 2022

code	colour	PRICE vat excl.
K217105NUS	● black RAL9005	1380 \$
K217105OUS	● brass	
K217105RUS	● copper	

feeding	dimmable	materials
120 V	yes	glass + metal

light source not included	light direction
2x70 W max - E26	





## KUSHI 16 SUSPENSION



Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K226105NUS	● black RAL9005	695 \$
K226105OUS	● brass	
K226105RUS	● copper	

feeding	dimnable	materials
120 V	yes	glass + metal

light source not included	canopy	light direction
1x25 W max - G9	white	



## KUSHI 33 SUSPENSION



Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K221105NUS	● black RAL9005	1190 \$
K221105OUS	● brass	
K221105RUS	● copper	

feeding	dimnable	certifications	materials
120 V	yes	Ⓜ CANADA + USA	glass + metal

light source not included	canopy	light direction
1x30 W max - E26	white	



## KUSHI XL SUSPENSION



Alberto Saggia & Valerio Sommella / 2019

code colour PRICE vat excl.

K218105NUS	● black RAL9005	1790 \$
K218105OUS	● brass	
K218105RUS	● copper	

feeding	dimnable	certifications	materials
120 V	yes	Ⓜ CANADA + USA	glass + metal

light source not included	canopy	light direction
2x70 W max - E26	white	







# LANNÀ SUSPENSION

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.
K386320NUS	● black RAL9005	1250 \$
K386320US	● brass	

feeding	dimnable	certifications	materials
120 V	yes	Ⓢ CANADA + USA	glass + metal
light source not included		canopy	light direction
1x42W max - E26 Ø 2.4 in max		black or brass	




# LILLI

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K355365OUS	● brass	1660 \$

feeding	dimnable	certifications	materials
120 V	yes	Ⓢ CANADA + USA	glass + metal
light source not included		canopy	light direction
3x42W max - E12		white	






# LOUIS

Studio 14 / 2013

code	colour	PRICE vat excl.
LOUIS 34		
K075245US	● white	880 \$
LOUIS 41		
K075245MUS	● white	930 \$
LOUIS 48		
K075245LUS	● white	980 \$

feeding	dimnable	materials
120 V	yes	polyethylene + aluminium
light source not included		light direction
1x30W max - E26 Ø 2.2in max		





# MINIMAL

David Pompa / 2017


code	colour	PRICE vat excl.
380315R *	copper	595 \$
380315N *	black nickel	
ALI-CC350_8W	driver - not dimmable	70 \$
500500N	black RAL9005 - canopy	160 \$

\*driver not included - false ceiling canopy included

feeding	dimmable	light source included	canopy	light direction
120 V	yes	board LED 1x3.15W 2700 K - 346 lm - CRI>90	black	



CANOPY



FALSE CEILING CANOPY



# MITOS

Chris Basias / 2022

code	colour	PRICE vat excl.
507431N	black RAL9005 - spot	495 \$
507-ALIUS-DIM	black RAL9005 - driver kit dimmable phase cut - max 5 spot	590 \$
507-ALIUS	black RAL9005 - driver kit not dimmable - max 7 spot	490 \$
507-CAV10	copper - cable L 32.8 ft	150 \$
507-CAV30	copper - cable L 98.4 ft	390 \$
507-AC1	black RAL9005 - cable holder plate	35 \$


feeding	dimmable	materials
120 V	yes	aluminium + technopolymer

### multiple composition system capability


spot n°: max 7 (dimmable max 5 spots) - cable length: max 2 x 98.4 ft

light source not included	light direction
GU 5.3	


### installation options




MITOS SPOT



DRIVER KIT



CABLE HOLDER PLATE







# MOTUS

Shulab / 2023



code	colour	PRICE vat excl.
K512436BUS	● white RAL9010	990 \$
K512436NUS	● black RAL9005	
K512436RUS	● red RAL3016	

feeding	dimmable	materials
120 V	phase cut	glass + metal

### sliding mechanism

press the button - slide up or slide down - release the button to fix the lamp at the desired height

light source included	canopy	light direction
board LED 1x22 W 2700 K - 2346 lm - CRI>90	white or black or red	





# NAMI

Alberto Saggia & Valerio Sommella / 2017

code	colour	PRICE vat excl.
K405340NUS	● black RAL9005	4500 \$
K405340US	● brass	

feeding	dimmable	certifications	materials
120 V	1-10V	Ⓢ CANADA + USA	glass + metal

light source included	canopy	light direction
strip LED 60 W 2700 K - 6020 lm - CRI>90	black or brass	





# OPYO SUSPENSION

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K350356BUS	● white RAL9010	990 \$
K350356CUS	● coral RAL3012	
K350356OUS	● brass	

feeding	dimmable	certifications	materials
120 V	yes	Ⓢ CANADA + USA	glass + metal

light source not included	canopy	light direction
1x70 W max - E26	white	






# POISE CEILING

Robert Dabi / 2021

code	colour	PRICE vat excl.
505426NUS	● black RAL9005	1050 \$

feeding	dimmable	certifications	materials
120 V	phase cut		metal

light source included	light direction
strip LED 1x28 W 2700 K - 3148 lm - CRI>90	



# SLING




Chris Basias / 2023

code	colour	PRICE vat excl.
508432N27	● black RAL9005 - spot - 2700 K	260 \$
508432N30	● black RAL9005 - spot - 3000 K	
508-ALIUS	● black RAL9005 - driver kit (from 2 to 9 spots max)	430 \$

feeding	dimmable	materials
120 V	phase cut	metal

light source included	cable length included	light direction
SLING 2700 K: board LED 1x5 W 2700 K - 500 lm - CRI>90	13.1ft for each spot 32.8ft for each driver kit	
SLING 3000 K: board LED 1x5 W 3000 K - 520 lm - CRI>90		

## installation options








# SPILLO SUSPENSION

Constantin Wortmann / 2010




code	colour	PRICE vat excl.
232135US	 white	1030 \$


feeding	dimmable	certifications	materials
120 V	yes		polyethylene + metal
light source	not included	canopy	light direction
1x21W max - E26 - Ø 2in max		white	





# TRIPOD SUSPENSION

Christophe Pillet / 2002

code	colour	PRICE vat excl.
223945BIUS	 white	1750 \$
223945ECUS	 ecru	
223945MOUS	 moka	

feeding	dimmable	certifications	materials
120 V	yes		metal + fabric
light source	not included	canopy	light direction
3x70 W max - E26		white	






# VICEVERSA


Noé Duchaufour Lawrance / 2019

code	colour	PRICE vat excl.
VICEVERSA		
K370280GAUS	● amber	3100 \$
K370280GFUS	● smokey grey	



VICEVERSA 2		
K370281GAUS	● amber	5250 \$
K370281GFUS	● smokey grey	

VICEVERSA 2



feeding	dimnable	certifications	materials
120 V	1-10V or push	Ⓢ CANADA + USA	glass + metal

light source included	canopy	light direction
VICEVERSA: board LED 9 W 2700 K - 990 lm - CRI>90	dark grey	
VICEVERSA 2: board LED 16.5 W 2700 K - 1815 lm - CRI>90		


VICEVERSA



# YUMA


David Pompa / 2017

code	colour	PRICE vat excl.
370310US	● brass	890 \$



feeding	dimnable	certifications	materials
120 V	yes	Ⓢ CANADA + USA	glass + metal

light source not included	canopy	light direction
1x20W max - E26	brass	






# ATOMIUM WALL

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.
011891BIUS	white	990 \$
<b>feeding</b>	<b>dimmable</b>	<b>materials</b>
120 V	yes	polyethylene
<b>light source</b> not included		<b>light direction</b>
3x40 W max - E12		






# AZOU 3

Chris Basias / 2019

code	colour	PRICE vat excl.
K3454113MB	white marble - lamp	1720 \$
K3454113MN	black marble - lamp	
K3454113MO	green onyx - lamp	2790 \$
345-PLUGUS	black - plug kit - dimmer included	290 \$
ALI-0021	driver - dimmable 1-10V or push	190 \$
500515N	black - canopy - driver not included	205 \$

feeding	dimmable	materials
120 V	yes	metal + marble or onyx
<b>light source</b> included		<b>light direction</b>
board LED 3x4.2 W 2700 K - 1350 lm - CRI>90		

## installation options









# AZOU 5

Chris Basias / 2019

code	colour	PRICE vat excl.
K3454115MB	● white marble - lamp	2370 \$
K3454115MN	● black marble - lamp	
K3454115MO	● green onyx - lamp	3930 \$
345-PLUGUS	● black - plug kit - dimmer included	290 \$
ALI-0021	● driver - dimmable 1-10V or push	190 \$
500515N	● black - canopy - driver not included	205 \$

feeding	dimmable	materials
120 V	yes	metal + marble or onyx

light source included	light direction
board LED 5x4.2 W 2700 K - 2250 lm - CRI>90	





# AZOU 7

Chris Basias / 2019

code	colour	PRICE vat excl.
K3454117MB	● white marble - lamp	3240 \$
K3454117MN	● black marble - lamp	
K3454117MO	● green onyx - lamp	5480 \$
345-PLUGUS	● black - plug kit - dimmer included	290 \$
ALI-0021	● driver - dimmable 1-10V or push	190 \$
500515N	● black - canopy - driver not included	205 \$

feeding	dimmable	materials
120 V	yes	metal + marble or onyx

light source included	light direction
board LED 7x4.2 W 2700 K - 3150 lm - CRI>90	

**installation options**




# FRAME

Benjamin Hubert / 2011

code	colour	PRICE vat excl.
145050BUS	● white RAL9010	680 \$
145050CUS	● chrome	815 \$

feeding	dimmable	materials
120 V	yes	aluminium

light source not included	light direction
1x150 W max - R7s - L 3.1in	






# NAMI WALL

Alberto Saggia & Valerio Sommella / 2020

code	colour	PRICE vat excl.
K340406NUS	● black RAL9005	730 \$
K340406OUS	● brass	

feeding	dimmable	certifications	materials
120 V	phase cut		glass + aluminium
<b>light source</b> included			<b>light direction</b>
board LED 1x12 W 2700 K - 1320 lm - CRI>90			




# PASTILLA

Patricia Urquiola / 2000

code	colour	PRICE vat excl.
218970BIAUS	● white RAL9016	830 \$
218970BRUS	● bronze	

feeding	dimmable	certifications	materials
120 V	yes	Ⓜ CANADA + USA	glass + metal
<b>light source</b> not included			<b>light direction</b>
2x42 W max - E12			




# PIXEL

Bakery Group / 2009

code	colour	PRICE vat excl.
044128BIUS	● white	570 \$

feeding	dimmable	certifications	materials
120 V	yes		polyethylene + metal
<b>light source</b> not included			<b>light direction</b>
3x12 W max - E12			








# TUA

Behurt / 2014

code	colour	PRICE vat excl.
100266SNNLUS	● black tin	930 \$


feeding	dimmable	certifications	materials
120 V	yes		glass + metal

light source	not included	light direction
1x100 W max - R7s - L 3.1in		







# ACCESSORIES

code	colour	PRICE vat excl.
<b>2 HOLES CANOPY</b>		
500521CR	● chrome	190 \$
500521N	● black	
500521O	● brass	
500521B	● white	
<b>DECENTRALIZER</b>		
500518CR	● chrome	60 \$
500518N	● black	
500518O	● brass	
500518B	● white	
<b>DECENTRALIZER HOOK</b>		
500519N	● black	35 \$
500519B	● white	
<b>WIRE GRIPLOCK</b>		
500520CR	● chrome	35 \$
500520N	● black	
500520B	● white	



# SPECIAL CANOPIES

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs. Thanks to the technical and commercial support of the company, all needs can be met, customising each and every aspect of the project with great flexibility.



# PACKAGING

lamp	packaging
<b>FLOOR</b>	
<b>BIRD FLOOR</b>	box 1 - 53.5x2.8x10.2 in - 0.874 ft <sup>3</sup> - 7.48 lbs
<b>EVITA</b>	box 1 - 10.2x9.8x79.5 in - 4.637 ft <sup>3</sup> - 27.50 lbs box 2 - 15.7x15.7x1.6 in - 0.226 ft <sup>3</sup> - 14.08 lbs
<b>E.T.A.</b>	box 1 - 17.7x17.7x79.5 in - 14.445 ft <sup>3</sup> - 31.68 lbs
<b>KUSHI FLOOR</b>	box 1 - 17.7x13x55.1 in - 7.342 ft <sup>3</sup> - 16.72 lbs
<b>KUSHI XL FLOOR</b>	box 1 - 20.1x20.1x16.5 in - 3.858 ft <sup>3</sup> - 10.56 lbs box 2 - 66.9x7.9x7.9 in - 2.401 ft <sup>3</sup> - 7.15 lbs box 3 - 18.5x18.5x1.8 in - 0.351 ft <sup>3</sup> - 24.64 lbs
<b>KYUDO</b>	box 1 - 18.1x3.9x64.6 in - 2.664 ft <sup>3</sup> - 15.18 lbs box 2 - 19.7x19.7x2.4 in - 0.530 m <sup>3</sup> - 36.30 lbs
<b>MODEL T</b>	box 1 - 7.1x7.1x74.8 in - 2.174 ft <sup>3</sup> - 11.00 lbs box 2 - 11.8x11.8x33.5 in - 2.702 ft <sup>3</sup> - 18.26 lbs
<b>OPYO FLOOR</b>	box 1 - 6.9x6.9x9.1 in - 0.249 ft <sup>3</sup> - 26.40 lbs box 2 - 7.3x5.9x65 in - 1.617 ft <sup>3</sup> - 5.50 lbs box 3 - 11.8x311.8x14.2 in - 1.144 ft <sup>3</sup> - 3.52 lbs box 4 - 8.3x8.3x9.4 in - 0.374 ft <sup>3</sup> - 2.75 lbs
<b>POISE FLOOR</b>	box 1 - 25.6x25.6x3.1 in - 1.194 ft <sup>3</sup> - 12.32 lbs
<b>SHAKTI 200</b>	box 1 - 86.6x9.1x9.1 in - 4.110 ft <sup>3</sup> - 12.10 lbs box 2 - 14.2x12.6x2.2 in - 0.224 ft <sup>3</sup> - 7.48 lbs
<b>TRIPOD FLOOR</b>	box 1 - 23.6x23.6x13 in - 4.195 ft <sup>3</sup> - 7.70 lbs box 2 - 7.3x7.3x69.3 in - 2.127 ft <sup>3</sup> - 9.90 lbs
<b>TYLA</b>	box 1 - 20.1x20.1x16.5 in - 3.858 ft <sup>3</sup> - 15.40 lbs box 2 - 7.1x7.1x70.9 in - 2.060 ft <sup>3</sup> - 22.00 lbs
<b>TABLE</b>	
<b>ATOMIUM</b>	box 1 - 25.6x23.2x20.5 in - 7.042 ft <sup>3</sup> - 17.60 lbs
<b>BIRD TABLE</b>	box 1 - 8.1x2.8x20.3 in - 0.261 ft <sup>3</sup> - 3.96 lbs
<b>HIVE</b>	box 1 - 12.6x12.6x12.6 in - 1.157 ft <sup>3</sup> - 4.84 lbs box 2 - 12.6x12.6x12.6 in - 1.157 ft <sup>3</sup> - 5.94 lbs
<b>KUSHI 16 MOBILE</b>	box 1 - 9.4x9.4x7.9 in - 0.407 ft <sup>3</sup> - 1.98 lbs box 2 - 5.5x5.5x9.1 in - 0.159 ft <sup>3</sup> - 1.10 lbs
<b>KUSHI 16 TABLE</b>	box 1 - 9.4x9.4x7.9 in - 0.407 ft <sup>3</sup> - 1.98 lbs box 2 - 5.5x5.5x9.1 in - 0.159 ft <sup>3</sup> - 0.88 lbs
<b>KUSHI 33 TABLE</b>	box 1 - 15.7x15.7x13 in - 1.865 ft <sup>3</sup> - 7.70 lbs box 2 - 7.3x7.3x13.4 in - 0.411 ft <sup>3</sup> - 1.87 lbs
<b>KUSHI XL TABLE</b>	box 1 - 15.7x15.7x13 in - 1.865 ft <sup>3</sup> - 7.70 lbs box 2 - 9.8x9.8x22 in - 1.236 ft <sup>3</sup> - 8.69 lbs

lamp	packaging
LANNÀ TABLE	box 1 - 10.2x10.2x13 in - 0.788 ft <sup>3</sup> - 4.40 lbs box 2 - 17.5x11.6x7.9 in - 0.927 ft <sup>3</sup> - 4.40 lbs
POISE	box 1 - 27.2x21.3x6.3 in - 2.105 ft <sup>3</sup> - 8.14 lbs
TATU	box 1 - 15.7x15.7x15.7 in - 2.260 ft <sup>3</sup> - 8.80 lbs box 2 - 13.8x13.8x28.7 in - 3.158 ft <sup>3</sup> - 5.28 lbs
CEILING&SUSPENSION	
ATOMIUM SUSPENSION	box 1 - 25.6x23.2x20.5 in - 7.042 ft <sup>3</sup> - 17.60 lbs
BIRD CEILING	box 1 - 9.4x3.1x10.6 in - 0.183 ft <sup>3</sup> - 2.53 lbs box 2 - 1.6x1.6x21.7 in - 0.031 ft <sup>3</sup> - 1.10 lbs box 3 - 1.6x1.6x45.3 in - 0.065 ft <sup>3</sup> - 1.54 lbs
BOLHA	box 1 - 18.1x18.1x14.2 in - 2.690 ft <sup>3</sup> - 5.72 lbs box 2 - 16.1x11x5.9 in - 0.608 ft <sup>3</sup> - 4.40 lbs
CLOVER	box 1 - 31.5x31.5x20.9 in - 11.979 ft <sup>3</sup> - 44.00 lbs
DALA	box 1 - 24x24x7.1 in - 2.365 ft <sup>3</sup> - 16.94 lbs box 2 - 24x10.6x3.5 in - 0.523 ft <sup>3</sup> - 2.20 lbs
DALA LINEAR	box 1 - 58.3x6.3x3.5 in - 0.753 ft <sup>3</sup> - 5.72 lbs box 2 - 51.6x4.3x7.1 in - 0.916 ft <sup>3</sup> - 7.04 lbs box 3 - 52.4x4.3x4.3 in - 0.568 ft <sup>3</sup> - 5.50 lbs
DEW	box 1 - 7.3x6.3x11.4 in - 0.303 ft <sup>3</sup> - 5.28 lbs
DEW 3	box 1 - 10.2x10.2x13 in - 0.788 ft <sup>3</sup> - 14.74 lbs
DEW 5	box 1 - 21.7x21.7x18.1 in - 4.914 ft <sup>3</sup> - 31.24 lbs
DEW 7	box 1 - 21.7x21.7x18.1 in - 4.914 ft <sup>3</sup> - 41.54 lbs
DEW 9	box 1 - 32.3x28.3x15.4 in - 8.131 ft <sup>3</sup> - 63.03 lbs
DEW 15	box 1 - 32.3x28.3x28.7 in - 15.220 ft <sup>3</sup> - 93.92 lbs
DEW 19	box 1 - 32.3x28.3x28.7 in - 15.220 ft <sup>3</sup> - 114.51 lbs
E.T.A. SAT	box 1 - 26.4x29.9x24.4 in - 11.149 ft <sup>3</sup> - 17.60 lbs
FLOED	box 1 - 12.6x12.6x9.8 in - 0.904 ft <sup>3</sup> - 5.50 lbs box 2 - 35x11.4x7.9 in - 1.823 ft <sup>3</sup> - 6.38 lbs
FLOED 2	box 1 - n <sup>o</sup> 2 x 12.6x12.6x9.8 in - 0.904 ft <sup>3</sup> - 5.50 lbs box 2 - 63.8x13.4x7.9 in - 3.890 ft <sup>3</sup> - 11.22 lbs
FLOW	box 1 - 15.4x16.9x6.7 in - 1.007 ft <sup>3</sup> - 5.50 lbs
FLOW CEILING	box 1 - 15.4x16.9x6.7 in - 1.007 ft <sup>3</sup> - 5.94 lbs
FLOW LEAF	box 1 - 16.9x14.8x3.3 in - 0.484 ft <sup>3</sup> - 3.52 lbs
GIASS 25	box 1 - 12x12x3.9 in - 0.329 ft <sup>3</sup> - 5.06 lbs box 2 - 12.4x12.4x22 in - 1.962 ft <sup>3</sup> - 13.64 lbs
GIASS 30	box 1 - 13.6x13.6x3.9 in - 0.420 ft <sup>3</sup> - 6.60 lbs box 2 - 14.4x14.4x19.7 in - 2.352 ft <sup>3</sup> - 13.20 lbs

lamp	packaging
GIASS 40	box 1 - 17.3x17.3x3.9 in - 0.684 ft <sup>3</sup> - 8.80 lbs box 2 - 18.5x18.5x16.5 in - 3.276 ft <sup>3</sup> - 9.90 lbs
GIASS 50	box 1 - 21.5x21.5x3.9 in - 1.049 ft <sup>3</sup> - 15.40 lbs box 2 - 22.4x22.4x12.2 in - 3.557 ft <sup>3</sup> - 16.50 lbs
JER	box 1 - 5.1x5.5x4.3 in - 0.071 ft <sup>3</sup> - 1.32 lbs box 2 - 6.3x6.3x23.6 in - 0.542 ft <sup>3</sup> - 3.96 lbs
KATE	box 1 - 37.4x37.4x13.8 in - 11.155 ft <sup>3</sup> - 37.40 lbs
KATE SUSPENSION	box 1 - 37.4x37.4x13.8 in - 11.155 ft <sup>3</sup> - 38.50 lbs
KOOI	box 1 - 13.4x13.4x24.4 in - 2.531 ft <sup>3</sup> - 13.20 lbs
KUSHI 33 CEILING	box 1 - 15.7x15.7x13 in - 1.865 ft <sup>3</sup> - 7.70 lbs box 2 - 7.3x7.3x13.4 in - 0.411 ft <sup>3</sup> - 2.20 lbs
KUSHI XL CEILING	box 1 - 20.1x20.1x16.5 in - 3.858 ft <sup>3</sup> - 10.56 lbs box 2 - 8.7x8.7x13.4 in - 0.581 ft <sup>3</sup> - 2.20 lbs
KUSHI 16 SUSPENSION	box 1 - 9.4x9.4x7.9 in - 0.407 ft <sup>3</sup> - 1.98 lbs box 2 - 5.5x5.5x9.1 in - 0.159 ft <sup>3</sup> - 1.25 lbs
KUSHI 33 SUSPENSION	box 1 - 15.7x15.7x13 in - 1.865 ft <sup>3</sup> - 7.70 lbs box 2 - 7.3x7.3x13.4 in - 0.411 ft <sup>3</sup> - 2.20 lbs
KUSHI XL SUSPENSION	box 1 - 20.1x20.1x16.5 in - 3.858 ft <sup>3</sup> - 10.56 lbs box 2 - 5.7x5.7x13.4 in - 0.252 ft <sup>3</sup> - 2.20 lbs box 3 - 3.1x2.4x9.4 in - 0.041 ft <sup>3</sup> - 3.08 lbs
LANNÀ SUSPENSION	box 1 - 10.2x10.2x13 in - 0.788 ft <sup>3</sup> - 4.40 lbs box 2 - 17.5x11.8x7.9 in - 0.953 ft <sup>3</sup> - 4.00 lbs
LILLI	box 1 - 15.4x15.4x12.6 in - 1.719 ft <sup>3</sup> - 8.80 lbs box 2 - 6.3x6.3x16.5 in - 0.380 ft <sup>3</sup> - 3.52 lbs
LOUIS 34	box 1 - 26x26x15.7 in - 6.153 ft <sup>3</sup> - 11.22 lbs box 2 - 10.6x6.3x6.3 in - 0.244 ft <sup>3</sup> - 2.64 lbs
LOUIS 41	box 1 - 26x26x15.7 in - 6.153 ft <sup>3</sup> - 11.22 lbs box 2 - 10.6x6.3x6.3 in - 0.244 ft <sup>3</sup> - 2.86 lbs
LOUIS 48	box 1 - 26x26x15.7 in - 6.153 ft <sup>3</sup> - 11.22 lbs box 2 - 10.6x6.3x6.3 in - 0.244 ft <sup>3</sup> - 2.86 lbs
MINIMAL	box 1 - 3.5x3.5x15.7 in - 0.114 ft <sup>3</sup> - 1.76 lbs
MITOS	box 1 - 4.3x4.3x9.1 in - 0.098 ft <sup>3</sup> - 2.64 lbs box 2 - 11x11x6.7 in - 0.471 ft <sup>3</sup> - 5.06 lbs box 3 - 5.5x5.5x2 in - 0.035 ft <sup>3</sup> - 1.32 or 2.86 lbs
MOTUS	box 1 - 10.2x10.2x13 in - 0.788 ft <sup>3</sup> - 3.52 lbs box 2 - 17.5x11.6x7.9 in - 0.927 ft <sup>3</sup> - 4.18 lbs
NAMI	box 1 - 51.2x7.5x11.8 in - 2.617 ft <sup>3</sup> - 16.50 lbs box 2 - 63x6.7x2.8 in - 0.672 ft <sup>3</sup> - 27.50 lbs
OPYO SUSPENSION	box 1 - 11.8x11.8x14.2 in - 1.144 ft <sup>3</sup> - 3.52 lbs box 2 - 8.9x8.9x2 in - 0.089 ft <sup>3</sup> - 1.76 lbs

lamp	packaging
POISE CEILING	box 1 - 25.6x25.6x3.1 in - 1.194 ft <sup>3</sup> - 7.48 lbs
SLING	box 1 - 11x8.3x12.6 in - 0.664 ft <sup>3</sup> - from 2.2 to 13.2 lbs
SPIILLO SUSPENSION	box 1 - 10.2x10.2x27.2 in - 1.647 ft <sup>3</sup> - 5.39 lbs
TRIPOD SUSPENSION	box 1 - 23.6x23.6x13 in - 4.195 ft <sup>3</sup> - 11.66 lbs
VICEVERSA	box 1 - 32.7x13x3.9 in - 0.967 ft <sup>3</sup> - 8.58 lbs box 1 - 11.4x11x15 in - 1.090 ft <sup>3</sup> - 6.60 lbs
VICEVERSA 2	box 1 - n°2 x 32.7x13x3.9 in - 0.967 ft <sup>3</sup> - 8.58 lbs box 1 - n°2 x 11.4x11x15 in - 1.090 ft <sup>3</sup> - 6.60 lbs
YUMA	box 1 - 12x10x6.1 in - 0.426 ft <sup>3</sup> - 3.96 lbs
WALL	
ATOMIUM WALL	box 1 - 23.4x21.5x12 in - 3.493 ft <sup>3</sup> - 11.44 lbs
AZOU 3	box 1 - 9.6x6.7x6.5 in - 0.243 ft <sup>3</sup> - 3.52 lbs box 2 - 15.2x8.3x4.3 in - 0.314 ft <sup>3</sup> - 2.97 lbs
AZOU 5	box 1 - 18.9x6.3x6.3 in - 0.434 ft <sup>3</sup> - 4.84 lbs box 2 - 15.2x8.3x4.3 in - 0.314 ft <sup>3</sup> - 3.96 lbs
AZOU 7	box 1 - 18.9x6.3x6.3 in - 0.434 ft <sup>3</sup> - 6.16 lbs box 2 - 15.2x8.3x4.3 in - 0.314 ft <sup>3</sup> - 4.84 lbs
FRAME	box 1 - 15.9x14.2x2 in - 0.257 ft <sup>3</sup> - 3.08 lbs
NAMI WALL	box 1 - 13.8x9.4x4.9 in - 0.371 ft <sup>3</sup> - 2.20 lbs box 2 - 7.9x5.1x3.9 in - 0.092 ft <sup>3</sup> - 2.42 lbs
PASTILLA	box 1 - 8.3x7.7x11 in - 0.405 ft <sup>3</sup> - 4.62 lbs
PIXEL	box 1 - 20.7x16.7x6.1 in - 1.221 ft <sup>3</sup> - 4.62 lbs
TUA	box 1 - 8.7x8.7x9.6 in - 0.419 ft <sup>3</sup> - 2.86 lbs

# NOTES



# NOTES

**GRAPHIC PROJECT**

VZNstudio

April 2024

Kdln is a registered trademark

Copyright © 2024 Kdln Srl

All Rights Reserved.

Reproduction in whole or in part of texts and images  
without express written permission is prohibited.



Viale L. da Vinci, 277  
20090 Trezzano sul Naviglio, Milano  
T. +39 0236538950 info@kdln.it

Registered office  
Viale F. Crispi, 5/A 20121 Milano  
IT11792050152

kdln.it



